# Technical specification for Items No. 186352

## 1. SCOPE

| Line | NEK Item Number | Part Number | UOM | Quantity | Need by Date | Safety Classification |
|---|---|---|---|---|---|---|
| 1 | 430383 | STR100FR | EA | 50 | 30-Apr-25 | NSR |
| | CONNECTOR.CONDUIT,TYPE:Rigid Threaded to Liquid Tight,CINDUIT SIZE:1",MATERIAL:SOLID ALLOY STEEL,ANGLE:STRAIGHT,SC:NSR | | | | | |
| | MFG: AMERICAN FITTINGS CORPORATION, 17-10 WILLOW STREET, 07410 FAIR LAWN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET | | | | | |
| 2 | 410773 | 22BIZ4L | EA | 50 | 30-Apr-25 | NSR |
| | BUSHING.CONDUIT,SC:NSR,TYPE:ZINC INSULATED GROUNDING,CONDUIT SIZE:1",CONNECTION:LOCKNUT to rigid CONDUIT,DIMENSIONS:1.531"x 0.596"(BxC),MATERIAL:ZINC DIE CAST,MANUFACTURER:Steel Electric,AMB.TEMP.:150 deg C,FEATURES:PLASTIC,SET SCREW,STANDARD:UL | | | | | |
| | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET | | | | | |
| 3 | 412043 | C37F7 | EA | 50 | 30-Apr-25 | NSR |
| | BODY.CONDUIT,SC:NSR,TYPE:C,CONDUIT SIZE:1",MATERIAL:FERALOY IRON ALLOY,CONNECTION:THREADED RIGID,CONSTRUCTION:FORM 7 | | | | | |
| | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET | | | | | |
| 4 | 414080 | | EA | 50 | 30-Apr-25 | NSR |



Registered at the District Court of Krško, Entry No.: 1000120000, Basic Capital: 353.544.826,00 EUR
VAT No.: SI61082597 Tax No.: 61082597 ID No.: 5034345000
Tel.: 07 48 02 000
IBANs: SI56 0292 4001 8793 453 at NLB d.d., Ljubljana; SI56 0400 1004 8892 548 at OTP banka d.d., Ljubljana;
SI56 3400 0102 2600 457 at Banka Sparkasse d.d., Ljubljana

| | | | | | | |
|---|---|---|---|---|---|---|
| | | LB37F7 | | | | |
| | BODY,CONDUIT,SC:NSR,TYPE:LB,CONDUIT SIZE:1",MATERIAL:FERALOY IRON ALLOY,CONNECTION:THREADED RIGID,CONSTRUCTION:90 DEG BENDS,FORM 7 | | | | | |
| | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET | | | | | |
| 5 | 414096 | LR37F7 | EA | 50 | 30-Apr-25 | NSR |
| | BODY,CONDUIT,SC:NSR,TYPE:LR,CONDUIT SIZE:1",MATERIAL:FERALOY IRON ALLOY,CONNECTION:THREADED RIGID,CONSTRUCTION:90 DEG BENDS, FORM7 | | | | | |
| | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET | | | | | |
| 6 | 414070 | 370 | EA | 150 | 30-Apr-25 | NSR |
| | COVER.BODY,SC:NSR,TYPE:BLANK COVER,NOMINAL SIZE:1",MATERIAL:SHEET STEEL,FORM:7 WEDGENUT,ASSEMBLY:W/ INTEGRAL GASKET | | | | | |
| | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET | | | | | |
| 7 | 414081 | LB57F7 | EA | 20 | 30-Apr-25 | NSR |
| | BODY,CONDUIT,SC:NSR,TYPE:LB,CONDUIT SIZE:1 1/2",MATERIAL:FERALOY IRON ALLOY,CONNECTION:THREADED RIGID,CONSTRUCTION:90 DEG BENDS,FORM 7 | | | | | |
| | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET | | | | | |
| 8 | 414071 | 570 | EA | 20 | 30-Apr-25 | NSR |
| | COVER.BODY,SC:NSR,TYPE:BLANK COVER,NOMINAL SIZE:1 1/2",MATERIAL: STEEL/ STAINLESS STEEL SCREWS ; FINISH: ZINC PLATED,FORM:7 WEDGENUT,ASSEMBLY:W/ INTEGRAL GASKET | | | | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET | | | | | |
| 9 | 414698 | UB-100G | EA | 500 | 30-Apr-25 | NSR |
| | CONDUIT.FITTING,TYPE:U-BOLT UB,NOMINAL SIZE:1",LENGTH:5/16-18,ASSEMBLY:HEX NUTS,MATERIAL:STEEL,PROTECTION:MECHANICAL ZINC GALVANIZED,CONSTRUCTION:THREADED FOR RIGID CONDUIT,USE:CONDUIT,SC:NSR | | | | | |
| | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET | | | | | |
| 10 | 414699 | UB-150G | EA | 200 | 30-Apr-25 | NSR |
| | CONDUIT.FITTING,TYPE:U-BOLT UB,NOMINAL SIZE:1 1/2",LENGTH:5/16-18,ASSEMBLY:HEX NUTS,MATERIAL:STEEL,PROTECTION:MECHANICAL ZINC GALVANIZED,CONSTRUCTION:THREADED FOR RIGID CONDUIT,USE:CONDUIT,SC:NSR | | | | | |
| | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET | | | | | |

## 2. TECHNICAL AND QUALITY REQUIREMENTS

**IMPORTANT:**
**The quotation has to include Statement of Compliance with the Technical and Quality Requirements from Purchaser's RFQ including the Bidder's commitment to provide requested documents and/or records. If any of these requirements cannot be fulfilled, please, provide the explanation.**

**A00 - GENERAL REQUIREMENTS**
**ALL REQUIRED DOCUMENTS SHALL BE SUPPLIED IN ENGLISH OR ENGLISH/ MULTILINGUAL.**

**A07 - NEW ITEMS**
ALL ITEM(S) PROVIDED ON THIS PURCHASE ORDER SHALL BE SUPPLIED IN THE NEW CONDITION (NOT USED OR REFURBISHED IN ANY WAY).

## F00 - SHIPPING, HANDLING, MARKING AND STORAGE INSTRUCTIONS

**F05 - HANDLING, PACKAGING AND SHIPPING**
SUPPLIER SHALL PROVIDE PACKAGING AND SHIPPING METHODS FOR PROTECTION FROM THE EFFECTS OF TEMPERATURE EXTREMES, HUMIDITY AND IN TRANSIT SHOCKS AND JARRING (CAPS AND PLUGS SHALL BE USED TO SEAL THE OPENINGS AND TO PROTECT THREADS AND WELD END PREPARATIONS).

**F40 - SUPPLIER'S NAME**

**F50 - ITEM MARKING REQUIREMENTS**
ALL ITEMS ARE TO BE PACKAGED INDIVIDUALLY AND IDENTIFIED WITH THE SPECIFIC PART NUMBER, OR ALL ITEMS OF A GIVEN PART NUMBER TO BE PACKAGED TOGETHER AND IDENTIFIED WITH THE SPECIFIC PART NUMBER AND THE FOLLOWING:

**F51 - THE PURCHASE ORDER NUMBER**

**F521 - PART/ CATALOG NO.**

**F57 - MANUFACTURER'S NAME**

**F61 - SIZE**

**F66 - UL LABEL/STAMP**

## G00 - SUPPLIER DOCUMENTATION REQUIREMENTS
## ALL REQUIRED DOCUMENTS SHALL BE SUPPLIED IN ORIGINAL HARD COPY OR ELECTRONIC FORM DEFINED BY SUPPLIER QA PROGRAM AND ACCEPTED BY NEK.

**G044 - PACKING SLIP/LIST OR DELIVERY NOTE**
PACKING SLIP/LIST OR DELIVERY NOTE MUST BE DELIVERED WITH THE ITEMS CONTAINING THE FOLLOWING DATA: PURCHASE ORDER NUMBER/S,PART NUMBER/S, NEK ITEM NO., ITEM DESCRIPTION AND QUANTITY!

**G801 - MATERIAL IDENTIFICATION**
THE SUPPLIER SHALL PROVIDE THE ITEM MATERIAL IDENTIFICATION DATA.

**GP4 - PRODUCT DATA SHEET**