

Projekt: - -

/ RD.WL.001

Projektdaten

Bezeichnung : -

Planinhalt : -

Plan Nr. : RD.WL.001

All total length of bar profiles outer dimension

S T A H L L I S T E Betonstahl: B500B

Pos.	Stk.	D	Länge	D10	D12	D14	D16	D20
1	1488	12	4.44		6606.72			
2	564	16	4.64				2616.96	
3	588	14	1.95			1146.60		
4	304	14	6.67			2027.68		
5	312	14	7.07			2205.84		
6	192	12	4.46		856.32			
7	584	10	3.45	2014.80				
8	288	10	1.95	561.60				
9	16	16	5.22				83.52	
10	292	10	1.48	432.16				
11	624	12	7.07		4411.68			
12	280	10	7.07	1979.60				
13	8	14	7.97			63.76		
14	576	12	1.95		1123.20			
15	360	16	1.80				648.00	
16	464	12	1.60		742.40			
17	16	14	4.54			72.64		
18	248	10	2.66	659.68				
19	40	20	6.64					265.60
20	24	10	6.64	159.36				
21	532	12	3.01		1601.32			
22	272	14	1.85			503.20		
23	1920	12	0.50		960.00			
24	224	16	0.75				168.00	
25	240	16	3.18				763.20	
26	256	12	1.85		473.60			
27	128	10	1.85	236.80				
28	260	10	3.01	782.60				
29	130	10	1.82	236.60				
30	260	10	1.85	481.00				
31	34	16	1.00				34.00	
32	268	14	6.35			1701.80		
33	248	12	6.35		1574.80			
34	124	10	6.35	787.40				
35	20	20	6.00					120.00
36	12	10	6.00	72.00				
37	16	14	3.14			50.24		
38	120	16	3.61				433.20	
39	136	12	3.44		467.84			
40	260	12	1.60		416.00			
41	106	16	0.74				78.44	
42	760	16	0.50				380.00	
43	288	16	0.58				167.04	
44	100	16	4.66				466.00	
45	520	12	2.05		1066.00			

Gesamtlängen	8403.60	20299.88	7771.76	5838.36	385.60
kg / m	D10 0.617	D12 0.888	D14 1.208	D16 1.578	D20 2.466
kg / d	5185.021	18026.294	9388.286	9212.932	950.890

Gesamtgewicht (kg) 42763.423

Projekt: - - / RD.WL.001

S T A H L L I S T E Betonstahl: B500B

Pos.	Stk.	D	Länge	D10	D12	D14	D16	D20
------	------	---	-------	-----	-----	-----	-----	-----

Pos. Bemerkung:

23	sidra
24	sidra
31	sidra
41	sidra
42	sidra
43	sidra

Projekt: - -

/ RD.WL.001













Projektdaten

Bezeichnung : -

Planinhalt : -

Plan Nr. : RD.WL.001












B I E G E L I S T E Betonstahl: B500B

Pos.	Stk.	R	Länge	dbr ds	Typ	Biegeform						Ges.L	Gewicht kg
						A	B	C	D	E	H		
1	1488	12	4.44	4	A1	4.44						6606.72	5866.767
													
2	564	16	4.64	4	A1	4.64						2616.96	4129.563
													
3	588	14	1.95	4	A3	0.85	0.25	0.85				1146.60	1385.093
													
4	304	14	6.67	4	A1	6.67						2027.68	2449.437
													
5	312	14	7.07	4	A1	7.07						2205.84	2664.655
													
6	192	12	4.46	4	C2	0.65	0.35	0.04	3.46			856.32	760.412
													
7	584	10	3.45	4	A1	3.45						2014.80	1243.132
													
8	288	10	1.95	4	A3	0.85	0.25	0.85				561.60	346.507
													
9	16	16	5.22	4	A2	0.15	5.07					83.52	131.795
													
10	292	10	1.48	4	A3	0.65	0.18	0.65				432.16	266.643
													
11	624	12	7.07	4	A1	7.07						4411.68	3917.572
													
12	280	10	7.07	4	A1	7.07						1979.60	1221.413
													

Projekt: - -

/ RD.WL.001










B I E G E L I S T E Betonstahl: B500B

Pos.	Stk.	Ř	Länge	dbr ds	Typ	Biegeform						Ges.L	Gewicht kg															
						A	B	C	D	E	H																	
13	8	14	7.97	4	A3	0.15	7.67	0.15				63.76	77.022															
																												
14	576	12	1.95	4	A3	0.85	0.25	0.85				1123.20	997.402															
																												
15	360	16	1.80	4	A2	0.20	1.60					648.00	1022.544															
																												
16	464	12	1.60	4	A2	0.20	1.40					742.40	659.251															
																												
17	16	14	4.54	4	A1	4.54						72.64	87.749															
																												
18	248	10	2.66	4	B1	0.52	0.72				0.09 0.09	659.68	407.023															
																												
19	40	20	6.64	7	A1	6.64						265.60	654.970															
																												
20	24	10	6.64	4	A1	6.64						159.36	98.325															
																												
21	532	12	3.01	4	A1	3.01						1601.32	1421.972															
																												
22	272	14	1.85	4	A3	0.70	0.45	0.70				503.20	607.866															
																												
23	1920	12	0.50	4	X1	 <table><tr><td>Nr.</td><td>dx</td><td>dy</td><td>l</td><td>>°</td></tr><tr><td>1</td><td>0.38</td><td>0.00</td><td>0.35</td><td>-119</td></tr><tr><td>2</td><td>-0.09</td><td>-0.15</td><td>0.15</td><td></td></tr></table>						Nr.	dx	dy	l	>°	1	0.38	0.00	0.35	-119	2	-0.09	-0.15	0.15		960.00	852.480
Nr.	dx	dy	l	>°																								
1	0.38	0.00	0.35	-119																								
2	-0.09	-0.15	0.15																									

Projekt: - -

/ RD.WL.001












B I E G E L I S T E Betonstahl: B500B

Pos.	Stk.	R	Länge	dbr ds	Typ	Biegeform						Ges.L	Gewicht kg
						A	B	C	D	E	H		
						Bemerkung: sidra							
24	224	16	0.75	4	C1	0.45	0.22	0.20				168.00	265.104
													
						Bemerkung: sidra							
25	240	16	3.18	4	A2	0.15	3.03					763.20	1204.330
													
26	256	12	1.85	4	A3	0.70	0.45	0.70				473.60	420.557
													
27	128	10	1.85	4	A3	0.70	0.45	0.70				236.80	146.106
													
28	260	10	3.01	4	A1	3.01						782.60	482.864
													
29	130	10	1.82	4	A3	0.70	0.42	0.70				236.60	145.982
													
30	260	10	1.85	4	A1	1.85						481.00	296.777
													
31	34	16	1.00	4	A1	1.00						34.00	53.652
													
						Bemerkung: sidra							
32	268	14	6.35	4	A1	6.35						1701.80	2055.774
													

Projekt: - -



/ RD.WL.001

B I E G E L I S T E Betonstahl: B500B

Pos.	Stk.	R̄	Länge	dbr ds	Typ	Biegeform						Ges.L	Gewicht kg
						A	B	C	D	E	H		
33	248	12	6.35	4	A1	6.35						1574.80	1398.422
													
34	124	10	6.35	4	A1	6.35						787.40	485.826
													
35	20	20	6.00	7	A1	6.00						120.00	295.920
													
36	12	10	6.00	4	A1	6.00						72.00	44.424
													
37	16	14	3.14	4	A2	0.15	2.99					50.24	60.690
													
38	120	16	3.61	4	A2	0.15	3.46					433.20	683.590
													
39	136	12	3.44	4	A1	3.44						467.84	415.442
													
40	260	12	1.60	4	A1	1.60						416.00	369.408
													
41	106	16	0.74	4	C1	0.44	0.25	0.15				78.44	123.778
													
						Bemerkung: sidra							
42	760	16	0.50	4	C1	0.20	0.24	0.16				380.00	599.640
													
						Bemerkung: sidra							
43	288	16	0.58	4	X1							167.04	263.589
						Nr. dx dy l >° 1 0.48 0.00 0.44 -119 2 -0.09 -0.15 0.14							
						Bemerkung: sidra							

Projekt: - -

/ RD.WL.001

B I E G E L I S T E Betonstahl: B500B													
Pos.	Stk.	Ř	Länge	dbr ds	Typ	Biegeform						Ges.L	Gewicht kg
						A	B	C	D	E	H		
44	100	16	4.66	4	C2	0.85	0.35	0.04	3.45			466.00	735.348
													
45	520	12	2.05	4	A1	2.05						1066.00	946.608
													

Gesamtgewicht (kg) 42763.422