

Projekt: - -

/ RD.WL.0007

Projektdaten

Bezeichnung : -

Planinhalt : -

Plan Nr. : RD.WL.0007

All total length of bar profiles outer dimension

S T A H L L I S T E Betonstahl: B500B

| Pos. | Stk. | D | Länge | D8 | D10 | D12 | D14 | D16 |
|------|------|----|-------|--------|---------|---------|--------|---------|
| 1 | 144 | 12 | 5.97 | | | 859.68 | | |
| 2 | 144 | 12 | 4.90 | | | 705.60 | | |
| 3 | 1244 | 10 | 4.39 | | 5461.16 | | | |
| 4 | 400 | 16 | 4.65 | | | | | 1860.00 |
| 5 | 448 | 10 | 1.50 | | 672.00 | | | |
| 6 | 160 | 10 | 4.32 | | 691.20 | | | |
| 7 | 80 | 16 | 4.66 | | | | | 372.80 |
| 8 | 216 | 12 | 1.50 | | | 324.00 | | |
| 9 | 289 | 10 | 1.48 | | 427.72 | | | |
| 10 | 450 | 10 | 3.40 | | 1530.00 | | | |
| 11 | 432 | 12 | 1.55 | | | 669.60 | | |
| 12 | 238 | 10 | 6.35 | | 1511.30 | | | |
| 13 | 96 | 10 | 4.90 | | 470.40 | | | |
| 14 | 138 | 12 | 8.50 | | | 1173.00 | | |
| 15 | 96 | 10 | 5.91 | | 567.36 | | | |
| 16 | 32 | 14 | 4.55 | | | | 145.60 | |
| 17 | 723 | 10 | 1.50 | | 1084.50 | | | |
| 18 | 8 | 12 | 7.07 | | | 56.56 | | |
| 19 | 149 | 8 | 2.46 | 366.54 | | | | |
| 20 | 1185 | 16 | 0.65 | | | | | 770.25 |
| 21 | 300 | 12 | 0.60 | | | 180.00 | | |
| 22 | 92 | 10 | 8.50 | | 782.00 | | | |
| 23 | 24 | 14 | 2.96 | | | | 71.04 | |
| 24 | 138 | 12 | 4.27 | | | 589.26 | | |
| 25 | 92 | 10 | 4.27 | | 392.84 | | | |
| 26 | 160 | 16 | 1.75 | | | | | 280.00 |
| 27 | 316 | 10 | 1.45 | | 458.20 | | | |
| 28 | 112 | 10 | 1.19 | | 133.28 | | | |
| 29 | 8 | 14 | 3.40 | | | | 27.20 | |
| 30 | 422 | 12 | 6.28 | | | 2650.16 | | |
| 31 | 52 | 10 | 6.28 | | 326.56 | | | |
| 32 | 20 | 14 | 2.75 | | | | 55.00 | |
| 33 | 10 | 14 | 4.14 | | | | 41.40 | |

| | | | | | |
|--------------|----------|-----------|-----------|-----------|-----------|
| Gesamtlängen | 366.54 | 14508.52 | 7207.86 | 340.24 | 3283.05 |
| kg / m | D8 0.395 | D10 0.617 | D12 0.888 | D14 1.208 | D16 1.578 |
| kg / d | 144.783 | 8951.757 | 6400.580 | 411.010 | 5180.653 |

Gesamtgewicht (kg) 21088.783

Pos. Bemerkung:

20 sidra v obst. nosilce in stebre

21 sidra v osbtoječo steno

Projekt: - -

/ RD.WL.0007












Projektdaten

Bezeichnung : -

Planinhalt : -

Plan Nr. : RD.WL.0007











B I E G E L I S T E Betonstahl: B500B

| Pos. | Stk. | R | Länge | dbr ds | Typ | Biegeform | | | | | | Ges.L | Gewicht kg |
|------|------|----|-------|-----------|-----|---|------|------|------|---|---|---------|---------------|
| | | | | | | A | B | C | D | E | H | | |
| 1 | 144 | 12 | 5.97 | 4 | A1 | 5.97 | | | | | | 859.68 | 763.396 |
| | | | | | |  | | | | | | | |
| 2 | 144 | 12 | 4.90 | 4 | A1 | 4.90 | | | | | | 705.60 | 626.573 |
| | | | | | |  | | | | | | | |
| 3 | 1244 | 10 | 4.39 | 4 | A1 | 4.39 | | | | | | 5461.16 | 3369.536 |
| | | | | | |  | | | | | | | |
| 4 | 400 | 16 | 4.65 | 4 | A1 | 4.65 | | | | | | 1860.00 | 2935.080 |
| | | | | | |  | | | | | | | |
| 5 | 448 | 10 | 1.50 | 4 | A1 | 1.50 | | | | | | 672.00 | 414.624 |
| | | | | | |  | | | | | | | |
| 6 | 160 | 10 | 4.32 | 4 | C2 | 3.46 | 0.31 | 0.06 | 0.55 | | | 691.20 | 426.470 |
| | | | | | |  | | | | | | | |
| 7 | 80 | 16 | 4.66 | 4 | C2 | 3.47 | 0.33 | 0.06 | 0.85 | | | 372.80 | 588.278 |
| | | | | | |  | | | | | | | |
| 8 | 216 | 12 | 1.50 | 4 | A3 | 0.65 | 0.20 | 0.65 | | | | 324.00 | 287.712 |
| | | | | | |  | | | | | | | |
| 9 | 289 | 10 | 1.48 | 4 | A3 | 0.65 | 0.18 | 0.65 | | | | 427.72 | 263.903 |
| | | | | | |  | | | | | | | |
| 10 | 450 | 10 | 3.40 | 4 | A1 | 3.40 | | | | | | 1530.00 | 944.010 |
| | | | | | |  | | | | | | | |
| 11 | 432 | 12 | 1.55 | 4 | A3 | 0.65 | 0.25 | 0.65 | | | | 669.60 | 594.605 |
| | | | | | |  | | | | | | | |

Projekt: - -













/ RD.WL.0007

B I E G E L I S T E Betonstahl: B500B

| Pos. | Stk. | R | Länge | dbr ds | Typ | Biegeform | | | | | | Ges.L | Gewicht kg |
|------|------|----|-------|-----------|-----|---|------|------|---|---|-----------|---------|---------------|
| | | | | | | A | B | C | D | E | H | | |
| 12 | 238 | 10 | 6.35 | 4 | A1 | 6.35 | | | | | | 1511.30 | 932.472 |
| | | | | | |  | | | | | | | |
| 13 | 96 | 10 | 4.90 | 4 | A1 | 4.90 | | | | | | 470.40 | 290.237 |
| | | | | | |  | | | | | | | |
| 14 | 138 | 12 | 8.50 | 4 | A1 | 8.50 | | | | | | 1173.00 | 1041.624 |
| | | | | | |  | | | | | | | |
| 15 | 96 | 10 | 5.91 | 4 | A1 | 5.91 | | | | | | 567.36 | 350.061 |
| | | | | | |  | | | | | | | |
| 16 | 32 | 14 | 4.55 | 4 | A1 | 4.55 | | | | | | 145.60 | 175.885 |
| | | | | | |  | | | | | | | |
| 17 | 723 | 10 | 1.50 | 4 | A3 | 0.65 | 0.20 | 0.65 | | | | 1084.50 | 669.136 |
| | | | | | |  | | | | | | | |
| 18 | 8 | 12 | 7.07 | 4 | A1 | 7.07 | | | | | | 56.56 | 50.225 |
| | | | | | |  | | | | | | | |
| 19 | 149 | 8 | 2.46 | 4 | B1 | 0.43 | 0.73 | | | | 0.07 0.07 | 366.54 | 144.783 |
| | | | | | |  | | | | | | | |
| 20 | 1185 | 16 | 0.65 | 4 | X1 |  Nr. dx dy l >° 1 0.53 0.00 0.50 113 2 -0.07 0.16 0.15 Bemerkung: sidra v obst. nosilce in stebre | | | | | | 770.25 | 1215.454 |
| 21 | 300 | 12 | 0.60 | 4 | X1 |  Nr. dx dy l >° 1 0.50 0.00 0.50 -91 2 -0.00 -0.10 0.10 Bemerkung: sidra v osbtoječo steno | | | | | | 180.00 | 159.840 |

Projekt: - -

/ RD.WL.0007

| B I E G E L I S T E Betonstahl: B500B | | | | | | | | | | | | | |
|--|------|----|-------|-----------|-----|---|------|---|---|---|---|---------|---------------|
| Pos. | Stk. | R | Länge | dbr ds | Typ | Biegeform | | | | | | Ges.L | Gewicht kg |
| | | | | | | A | B | C | D | E | H | | |
| 22 | 92 | 10 | 8.50 | 4 | A1 | 8.50 | | | | | | 782.00 | 482.494 |
| | | | | | |  | | | | | | | |
| 23 | 24 | 14 | 2.96 | 4 | A1 | 2.96 | | | | | | 71.04 | 85.816 |
| | | | | | |  | | | | | | | |
| 24 | 138 | 12 | 4.27 | 4 | A1 | 4.27 | | | | | | 589.26 | 523.263 |
| | | | | | |  | | | | | | | |
| 25 | 92 | 10 | 4.27 | 4 | A1 | 4.27 | | | | | | 392.84 | 242.382 |
| | | | | | |  | | | | | | | |
| 26 | 160 | 16 | 1.75 | 4 | A2 | 0.15 | 1.60 | | | | | 280.00 | 441.840 |
| | | | | | |  | | | | | | | |
| 27 | 316 | 10 | 1.45 | 4 | A2 | 0.15 | 1.30 | | | | | 458.20 | 282.709 |
| | | | | | |  | | | | | | | |
| 28 | 112 | 10 | 1.19 | 4 | A1 | 1.19 | | | | | | 133.28 | 82.234 |
| | | | | | |  | | | | | | | |
| 29 | 8 | 14 | 3.40 | 4 | A1 | 3.40 | | | | | | 27.20 | 32.858 |
| | | | | | |  | | | | | | | |
| 30 | 422 | 12 | 6.28 | 4 | A1 | 6.28 | | | | | | 2650.16 | 2353.342 |
| | | | | | |  | | | | | | | |
| 31 | 52 | 10 | 6.28 | 4 | A1 | 6.28 | | | | | | 326.56 | 201.488 |
| | | | | | |  | | | | | | | |
| 32 | 20 | 14 | 2.75 | 4 | A1 | 2.75 | | | | | | 55.00 | 66.440 |
| | | | | | |  | | | | | | | |
| 33 | 10 | 14 | 4.14 | 4 | A1 | 4.14 | | | | | | 41.40 | 50.011 |
| | | | | | |  | | | | | | | |

Gesamtgewicht (kg) 21088.782