

Projekt: - -

/ RD.WL.0009

Projektdaten

Bezeichnung : -

Planinhalt : -

Plan Nr. : RD.WL.0009

All total length of bar profiles outer dimension

S T A H L L I S T E Betonstahl: B500B

Pos.	Stk.	D	Länge	D10	D12	D14	D16
1	114	16	6.24				711.36
2	122	16	1.55				189.10
3	20	14	2.17			43.40	
4	1247	12	1.88		2344.36		
5	24	12	2.09		50.16		
6	208	12	1.08		224.64		
7	480	12	2.61		1252.80		
8	125	12	1.46		182.50		
9	125	10	0.78	97.50			
10	200	12	1.32		264.00		
11	256	16	4.65				1190.40
12	28	14	3.59			100.52	
13	150	10	2.61	391.50			
14	4	14	3.22			12.88	
15	257	10	1.88	483.16			
16	145	10	1.08	156.60			
17	50	10	1.32	66.00			
18	382	12	4.45		1699.90		
19	184	10	3.44	632.96			
20	98	12	6.04		591.92		
21	151	12	2.50		377.50		
22	4	14	3.45			13.80	
23	98	12	1.35		132.30		
24	676	12	2.70		1825.20		
25	194	10	2.70	523.80			
26	8	14	3.02			24.16	
27	12	14	3.14			37.68	
28	110	10	1.74	191.40			

Gesamtlängen	2542.92	8945.28	232.44	2090.86
kg / m	D10 0.617	D12 0.888	D14 1.208	D16 1.578
kg / d	1568.982	7943.409	280.788	3299.377

Gesamtgewicht (kg) 13092.556

Projekt: - -

/ RD.WL.0009











Projektdaten

Bezeichnung : -

Planinhalt : -

Plan Nr. : RD.WL.0009














B I E G E L I S T E Betonstahl: B500B

Pos.	Stk.	R	Länge	dbr ds	Typ	Biegeform						Ges.L	Gewicht kg
						A	B	C	D	E	H		
1	114	16	6.24	4	A1	6.24						711.36	1122.526
													
2	122	16	1.55	4	A2	0.20	1.35					189.10	298.400
													
3	20	14	2.17	4	A2	1.97	0.20					43.40	52.427
													
4	1247	12	1.88	4	A3	0.85	0.18	0.85				2344.36	2081.792
													
5	24	12	2.09	4	A2	0.20	1.89					50.16	44.542
													
6	208	12	1.08	4	A3	0.45	0.18	0.45				224.64	199.480
													
7	480	12	2.61	4	A1	2.61						1252.80	1112.486
													
8	125	12	1.46	4	A3	0.67	0.12	0.67				182.50	162.060
													
9	125	10	0.78	4	B1	0.12	0.18				0.09 0.09	97.50	60.157
													
10	200	12	1.32	4	A1	1.32						264.00	234.432
													

Projekt: - -






/ RD.WL.0009

B I E G E L I S T E Betonstahl: B500B

Pos.	Stk.	R	Länge	dbr ds	Typ	Biegeform						Ges.L	Gewicht kg
						A	B	C	D	E	H		
11	256	16	4.65	4	A1	4.65						1190.40	1878.451
													
12	28	14	3.59	4	A2	0.15	3.44					100.52	121.428
													
13	150	10	2.61	4	A1	2.61						391.50	241.555
													
14	4	14	3.22	4	A3	0.15	2.92	0.15				12.88	15.559
													
15	257	10	1.88	4	A3	0.85	0.18	0.85				483.16	298.110
													
16	145	10	1.08	4	A3	0.45	0.18	0.45				156.60	96.622
													
17	50	10	1.32	4	A1	1.32						66.00	40.722
													
18	382	12	4.45	4	A1	4.45						1699.90	1509.511
													
19	184	10	3.44	4	A1	3.44						632.96	390.536
													
20	98	12	6.04	4	A1	6.04						591.92	525.625
													
21	151	12	2.50	4	A3	1.15	0.20	1.15				377.50	335.220
													
22	4	14	3.45	4	A3	0.15	3.15	0.15				13.80	16.670
													
23	98	12	1.35	4	A2	0.20	1.15					132.30	117.482
													

Projekt: - -

/ RD.WL.0009

B I E G E L I S T E Betonstahl: B500B													
Pos.	Stk.	Ř	Länge	dbr ds	Typ	Biegeform						Ges.L	Gewicht kg
						A	B	C	D	E	H		
24	676	12	2.70	4	A1	2.70						1825.20	1620.778
													
25	194	10	2.70	4	A1	2.70						523.80	323.185
													
26	8	14	3.02	4	A1	3.02						24.16	29.185
													
27	12	14	3.14	4	A1	3.14						37.68	45.517
													
28	110	10	1.74	4	A3	0.70	0.34	0.70				191.40	118.094
													

Gesamtgewicht (kg) 13092.555