

# Technical specification for Items 8260010

## 1. SCOPE

| Line | NEK Item Number                                                                                                                                                                                                                                                                                                                               | Part Number     | UOM | Quantity | Need by Date | Safety Classification |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----|----------|--------------|-----------------------|
| 1    | 410290                                                                                                                                                                                                                                                                                                                                        | 3/4-IN-GALV-RMC | FT  | 10000    | 30-Apr-26    | NSR                   |
|      | CONDUIT.RIGID,SC:NSR,TYPE:RMC,NOMINAL SIZE:3/4",LENGTH:10',MATERIAL:STEEL,CONSTRUCTION:RIGID,COATING:HOT-DIP GALVNIZED O.D.,THREADS:TAPERED NPT 3/4" PER FOOT,STANDARD:ANSI C80.1, U.L.6, THREADS PER Inch =14                                                                                                                                |                 |     |          |              |                       |
|      | MFG: WHEATLAND TUBE CO., 8200 FRAZIER PIKE, 72200 LITTLE ROCK, United States                                                                                                                                                                                                                                                                  |                 |     |          |              |                       |
|      | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |                 |     |          |              |                       |
| 2    | 410291                                                                                                                                                                                                                                                                                                                                        | 1-IN-GALV-RMC   | FT  | 8750     | 30-Apr-26    | NSR                   |
|      | CONDUIT.RIGID,SC:NSR,TYPE:RMC,NOMINAL SIZE:1",LENGTH:10',MATERIAL:STEEL,CONSTRUCTION:RIGID,COATING:HOT-DIP GALVNIZED O.D.,THREADS:TAPERED NPT 3/4" PER FOOT,STANDARD:ANSI C80.1, U.L.6,Threads Pper Inch =11                                                                                                                                  |                 |     |          |              |                       |
|      | MFG: WHEATLAND TUBE CO., 8200 FRAZIER PIKE, 72200 LITTLE ROCK, United States                                                                                                                                                                                                                                                                  |                 |     |          |              |                       |
|      | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |                 |     |          |              |                       |
| 3    | 410292                                                                                                                                                                                                                                                                                                                                        | 1-1/2-GALV-RMC  | FT  | 5600     | 30-Apr-26    | NSR                   |
|      | CONDUIT.RIGID,SC:NSR,TYPE:RMC,NOMINAL SIZE:1-1/2",LENGTH:10',MATERIAL:STEEL,CONSTRUCTION:RIGID,COATING:HOT-DIP GALVNIZED O.D.,THREADS:TAPERED NPT 3/4" PER FOOT,STANDARD:ANSI C80.1, U.L.6,Threads Per Inch =11                                                                                                                               |                 |     |          |              |                       |
|      | MFG: WHEATLAND TUBE CO., 8200 FRAZIER PIKE, 72200 LITTLE ROCK, United States                                                                                                                                                                                                                                                                  |                 |     |          |              |                       |
|      | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |                 |     |          |              |                       |

|   |                                                                                                                                                                                                                                                                                                                                               |                   |    |      |           |     |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----|------|-----------|-----|
| 4 | 410293                                                                                                                                                                                                                                                                                                                                        | 2-IN-GALV-RMC     | FT | 2400 | 30-Apr-26 | NSR |
|   | CONDUIT.RIGID,SC:NSR,TYPE:RMC,NOMINAL<br>SIZE:2",LENGTH:10',MATERIAL:STEEL,CONSTRUCTION:RIGID,COATING:HOT-DIP GALVNIZED<br>O.D.,THREADS:TAPERED NPT ¾" PER FOOT,STANDARD:ANSI C80.1, U.L.6,Threads Per Inch =11                                                                                                                               |                   |    |      |           |     |
|   | MFG: WHEATLAND TUBE CO., 8200 FRAZIER PIKE, 72200 LITTLE ROCK, United States                                                                                                                                                                                                                                                                  |                   |    |      |           |     |
|   | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |                   |    |      |           |     |
| 5 | 410294                                                                                                                                                                                                                                                                                                                                        | 2-1/2-IN-GALV-RMC | FT | 1480 | 30-Apr-26 | NSR |
|   | CONDUIT.RIGID,SC:NSR,TYPE:RMC,NOMINAL<br>SIZE:2-1/2",LENGTH:10',MATERIAL:STEEL,CONSTRUCTION:RIGID,COATING:HOT-DIP GALVNIZED<br>O.D.,THREADS:TAPERED NPT ¾" PER FOOT,STANDARD:ANSI C80.1, U.L.6,Threads Per Inch =8                                                                                                                            |                   |    |      |           |     |
|   | MFG: WHEATLAND TUBE CO., 8200 FRAZIER PIKE, 72200 LITTLE ROCK, United States                                                                                                                                                                                                                                                                  |                   |    |      |           |     |
|   | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |                   |    |      |           |     |
| 6 | 410295                                                                                                                                                                                                                                                                                                                                        | 3-IN-GALV-RMC     | FT | 600  | 30-Apr-26 | NSR |
|   | CONDUIT.RIGID,SC:NSR,TYPE:RMC,NOMINAL<br>SIZE:3",LENGTH:10',MATERIAL:STEEL,CONSTRUCTION:RIGID,COATING:HOT-DIP GALVNIZED<br>O.D.,THREADS:TAPERED NPT ¾" PER FOOT,STANDARD:ANSI C80.1, U.L.6,Threads Per Inch =8                                                                                                                                |                   |    |      |           |     |
|   | MFG: WHEATLAND TUBE CO., 8200 FRAZIER PIKE, 72200 LITTLE ROCK, United States                                                                                                                                                                                                                                                                  |                   |    |      |           |     |
|   | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |                   |    |      |           |     |
| 7 | 410296                                                                                                                                                                                                                                                                                                                                        | 4-IN-GALV-RMC     | FT | 200  | 30-Apr-26 | NSR |
|   | CONDUIT.RIGID,SC:NSR,TYPE:RMC,NOMINAL<br>SIZE:4",LENGTH:10',MATERIAL:STEEL,CONSTRUCTION:RIGID,COATING:HOT-DIP GALVNIZED<br>O.D.,THREADS:TAPERED NPT ¾" PER FOOT,STANDARD:ANSI C80.1, U.L.6,Threads Per Inch =8                                                                                                                                |                   |    |      |           |     |
|   | MFG: WHEATLAND TUBE CO., 8200 FRAZIER PIKE, 72200 LITTLE ROCK, United States                                                                                                                                                                                                                                                                  |                   |    |      |           |     |
|   | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |                   |    |      |           |     |

|    |                                                                                                                                                                                                                                                                                                                                               |         |    |      |           |     |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|------|-----------|-----|
| 8  | 414697                                                                                                                                                                                                                                                                                                                                        | UB-75G  | EA | 1500 | 30-Apr-26 | NSR |
|    | CONDUIT.FITTING,TYPE:U-BOLT UB,NOMINAL SIZE:3/4",LENGTH:5/16-18,ASSEMBLY:HEX NUTS,MATERIAL:STEEL,PROTECTION:MECHANICAL ZINC GALVANIZED,CONSTRUCTION:THREADED FOR RIGID CONDUIT,USE:CONDUIT,SC:NSR                                                                                                                                             |         |    |      |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                                        |         |    |      |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |         |    |      |           |     |
| 9  | 414698                                                                                                                                                                                                                                                                                                                                        | UB-100G | EA | 1000 | 30-Apr-26 | NSR |
|    | CONDUIT.FITTING,TYPE:U-BOLT UB,NOMINAL SIZE:1",LENGTH:5/16-18,ASSEMBLY:HEX NUTS,MATERIAL:STEEL,PROTECTION:MECHANICAL ZINC GALVANIZED,CONSTRUCTION:THREADED FOR RIGID CONDUIT,USE:CONDUIT,SC:NSR                                                                                                                                               |         |    |      |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                                        |         |    |      |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |         |    |      |           |     |
| 10 | 414699                                                                                                                                                                                                                                                                                                                                        | UB-150G | EA | 800  | 30-Apr-26 | NSR |
|    | CONDUIT.FITTING,TYPE:U-BOLT UB,NOMINAL SIZE:1 1/2",LENGTH:5/16-18,ASSEMBLY:HEX NUTS,MATERIAL:STEEL,PROTECTION:MECHANICAL ZINC GALVANIZED,CONSTRUCTION:THREADED FOR RIGID CONDUIT,USE:CONDUIT,SC:NSR                                                                                                                                           |         |    |      |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                                        |         |    |      |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |         |    |      |           |     |
| 11 | 414700                                                                                                                                                                                                                                                                                                                                        | UB-200G | EA | 500  | 30-Apr-26 | NSR |
|    | CONDUIT.FITTING,TYPE:U-BOLT UB,NOMINAL SIZE:2",LENGTH:3/8-16,ASSEMBLY:HEX NUTS,MATERIAL:STEEL,PROTECTION:MECHANICAL ZINC GALVANIZED,CONSTRUCTION:THREADED FOR RIGID CONDUIT,USE:CONDUIT,SC:NSR                                                                                                                                                |         |    |      |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                                        |         |    |      |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE</p>                                                                 |         |    |      |           |     |

|    |                                                                                                                                                                                                                                                                                                                                               |         |    |     |           |     |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|-----|-----------|-----|
|    | G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                                                                                                                                                                                                                                                                    |         |    |     |           |     |
| 12 | 414701                                                                                                                                                                                                                                                                                                                                        | UB-250G | EA | 500 | 30-Apr-26 | NSR |
|    | CONDUIT.FITTING,TYPE:U-BOLT UB,NOMINAL SIZE:2 1/2",LENGTH:3/8-16,ASSEMBLY:HEX NUTS,MATERIAL:STEEL,PROTECTION:MECHANICAL ZINC GALVANIZED,CONSTRUCTION:THREADED FOR RIGID CONDUIT,USE:CONDUIT,SC:NSR                                                                                                                                            |         |    |     |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                                        |         |    |     |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |         |    |     |           |     |
| 13 | 414702                                                                                                                                                                                                                                                                                                                                        | UB-300G | EA | 500 | 30-Apr-26 | NSR |
|    | CONDUIT.FITTING,TYPE:U-BOLT UB,NOMINAL SIZE:3",LENGTH:3/8-16,ASSEMBLY:HEX NUTS,MATERIAL:STEEL,PROTECTION:MECHANICAL ZINC GALVANIZED,CONSTRUCTION:THREADED FOR RIGID CONDUIT,USE:CONDUIT,SC:NSR                                                                                                                                                |         |    |     |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                                        |         |    |     |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |         |    |     |           |     |
| 14 | 414703                                                                                                                                                                                                                                                                                                                                        | UB-400G | EA | 200 | 30-Apr-26 | NSR |
|    | CONDUIT.FITTING,TYPE:U-BOLT UB,NOMINAL SIZE:4",LENGTH:3/8-16,ASSEMBLY:HEX NUTS,MATERIAL:STEEL,PROTECTION:MECHANICAL ZINC GALVANIZED,CONSTRUCTION:THREADED FOR RIGID CONDUIT,USE:CONDUIT,SC:NSR                                                                                                                                                |         |    |     |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                                        |         |    |     |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |         |    |     |           |     |
| 15 | 410772                                                                                                                                                                                                                                                                                                                                        | 21BIZ4L | EA | 300 | 30-Apr-26 | NSR |
|    | BUSHING.CONDUIT,SC:NSR,TYPE:ZINC INSULATED GROUNDING,CONDUIT SIZE:3/4",CONNECTION:LOCKNUT to rigid CONDUIT,DIMENSIONS:1.281"x 0.5"(BxC),MATERIAL:ZINC DIE CAST,MANUFACTURER:Steel Electric,AMB.TEMP.:150 deg C,FEATURES:PLASTIC,SET SCREW,STANDARD:UL                                                                                         |         |    |     |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                                        |         |    |     |           |     |
|    | Item shall be supplied in accordance with the following TQRs:                                                                                                                                                                                                                                                                                 |         |    |     |           |     |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |         |    |     |           |     |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|-----|-----------|-----|
|    | A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                                                                                                                                                                   |         |    |     |           |     |
| 16 | 410773                                                                                                                                                                                                                                                                                                                                                                                                                                              | 22BIZ4L | EA | 200 | 30-Apr-26 | NSR |
|    | BUSHING.CONDUIT,SC:NSR,TYPE:ZINC INSULATED GROUNDING,CONDUIT<br>SIZE:1",CONNECTION:LOCKNUT to rigid CONDUIT,DIMENSIONS:1.531"x 0.596"(BxC),MATERIAL:ZINC<br>DIE CAST,MANUFACTURER:Steel Electric,AMB.TEMP.:150 deg C,FEATURES:PLASTIC,SET<br>SCREW,STANDARD:UL                                                                                                                                                                                      |         |    |     |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br>BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |         |    |     |           |     |
| 17 | 410774                                                                                                                                                                                                                                                                                                                                                                                                                                              | 24BIZ4L | EA | 200 | 30-Apr-26 | NSR |
|    | BUSHING.CONDUIT,SC:NSR,TYPE:ZINC INSULATED GROUNDING,CONDUIT<br>SIZE:1-1/2",CONNECTION:LOCKNUT to rigid CONDUIT,DIMENSIONS:2.156"x<br>0.625"(BxC),MATERIAL:ZINC DIE CAST,MANUFACTURER:Steel Electric,AMB.TEMP.:150 deg<br>C,FEATURES:PLASTIC,SET SCREW,STANDARD:UL                                                                                                                                                                                  |         |    |     |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br>BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |         |    |     |           |     |
| 18 | 410775                                                                                                                                                                                                                                                                                                                                                                                                                                              | 25BIZ0L | EA | 100 | 30-Apr-26 | NSR |
|    | BUSHING.CONDUIT,SC:NSR,TYPE:ZINC INSULATED GROUNDING,CONDUIT<br>SIZE:2",CONNECTION:LOCKNUT to rigid CONDUIT,DIMENSIONS:2.625"x0.625"(BxC),MATERIAL:ZINC<br>DIE CAST,MANUFACTURER:Steel Electric,AMB.TEMP.:150 deg C,FEATURES:PLASTIC,SET<br>SCREW,STANDARD:UL                                                                                                                                                                                       |         |    |     |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br>BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |         |    |     |           |     |
| 19 | 410776                                                                                                                                                                                                                                                                                                                                                                                                                                              | 26BIZ0L | EA | 80  | 30-Apr-26 | NSR |
|    | BUSHING.CONDUIT,SC:NSR,TYPE:ZINC INSULATED GROUNDING,CONDUIT                                                                                                                                                                                                                                                                                                                                                                                        |         |    |     |           |     |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |          |    |     |           |     |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----|-----|-----------|-----|
|    | <p>SIZE:2-1/2",CONNECTION:LOCKNUT to rigid<br/>CONDUIT,DIMENSIONS:3.219"x0.875"(BxC),MATERIAL:ZINC DIE CAST,MANUFACTURER:Steel Electric,AMB.TEMP.:150 deg C,FEATURES:PLASTIC,SET SCREW,STANDARD:UL</p> <p>MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br/>BROOKLYN, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                                                          |          |    |     |           |     |
| 20 | 410777                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 27BIZ0L  | EA | 100 | 30-Apr-26 | NSR |
|    | <p>BUSHING.CONDUIT,SC:NSR,TYPE:ZINC INSULATED GROUNDING,CONDUIT<br/>SIZE:3",CONNECTION:LOCKNUT to rigid CONDUIT,DIMENSIONS:3.813"x0.875"(BxC),MATERIAL:ZINC DIE CAST,MANUFACTURER:Steel Electric,AMB.TEMP.:150 deg C,FEATURES:PLASTIC,SET SCREW,STANDARD:UL</p> <p>MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br/>BROOKLYN, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |          |    |     |           |     |
| 21 | 410778                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 29BIZ40L | EA | 50  | 30-Apr-26 | NSR |
|    | <p>BUSHING.CONDUIT,SC:NSR,TYPE:ZINC INSULATED GROUNDING,CONDUIT<br/>SIZE:4",CONNECTION:LOCKNUT to rigid CONDUIT,DIMENSIONS:4.83"x0.875(BxC),MATERIAL:ZINC DIE CAST,MANUFACTURER:Steel Electric,AMB.TEMP.:150 deg C,FEATURES:PLASTIC,SET SCREW,STANDARD:UL</p> <p>MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br/>BROOKLYN, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>   |          |    |     |           |     |
| 22 | 413854                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1207     | EA | 100 | 30-Apr-26 | NSR |
|    | <p>Insulating bushing, melleable iron, 3/4",SC:NSR</p> <p>MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br/>BROOKLYN, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                                                                                                                                                                                                          |          |    |     |           |     |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |        |          |    |     |           |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|----|-----|-----------|-----|
| 23                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 413855 | 1208     | EA | 50  | 30-Apr-26 | NSR |
| Insulating bushing, melleable iron, 1",SC:NSR<br>MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br>BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                                                   |        |          |    |     |           |     |
| 24                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 413835 | SLT28T   | EA | 100 | 30-Apr-26 | NSR |
| Combination coupling, rigid conduit to flexible metal conduit, size 3/4" - male thread,SC:NSR<br>MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br>BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                   |        |          |    |     |           |     |
| 25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 415532 | SLT28ALT | EA | 30  | 30-Apr-26 | NSR |
| COUPLING,COMBINATION RIGID CONDUIT TO FLEXIBLE METAL CONDUIT,SIZE 3/4",MALE<br>THREAD,WITH GROUNDING LUG,SC:NSR<br>MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br>BROOKLYN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |        |          |    |     |           |     |
| 26                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 431110 | STR75FR  | EA | 100 | 30-Apr-26 | NSR |
| CONNECTOR.CONDUIT,TYPE:Rigid Threaded to Liquid Tight,CINDUIT SIZE:3/4",MATERIAL:SOLID<br>ALLOY STEEL,ANGLE:STRAIGHT,SC:NSR<br>MFG: AMERICAN FITTINGS CORPORATION, 17-10 WILLOW STREET, 07410 FAIR LAWN, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET       |        |          |    |     |           |     |
| 27                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 413842 | SLT36T   | EA | 30  | 30-Apr-26 | NSR |

|    |                                                                                                                                                                                                                                                                                                                                    |           |    |    |           |     |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----|----|-----------|-----|
| 28 | Connector flexible conduit 90degree - 3/4" - male thread,SC:NSR                                                                                                                                                                                                                                                                    |           |    |    |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                             |           |    |    |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00                                                                                                                                                                                                  |           |    |    |           |     |
|    | The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                                                                                                                          |           |    |    |           |     |
| 29 | 415540                                                                                                                                                                                                                                                                                                                             | SLT36ALT  | EA | 20 | 30-Apr-26 | NSR |
|    | CONNECTOR,FLEXIBLE CONDUIT,90DEGREE,3/4",MALE THREAD,WITH GROUNDING LUG,SC:NSR                                                                                                                                                                                                                                                     |           |    |    |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                             |           |    |    |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |           |    |    |           |     |
| 30 | 416284                                                                                                                                                                                                                                                                                                                             | SLT27T    | EA | 50 | 30-Apr-26 | NSR |
|    | CONNECTOR.CONDUIT,SC:NSR,TYPE:LIQUIDTIGHT,CONDUIT SIZE:1/2",MATERIAL:MALLEABLE IRON,ANGLE:STRAIGHT,CONNECTION:MALE THREAD                                                                                                                                                                                                          |           |    |    |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                             |           |    |    |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |           |    |    |           |     |
| 31 | 415524                                                                                                                                                                                                                                                                                                                             | SLT35T    | EA | 30 | 30-Apr-26 | NSR |
|    | CONNECTOR,FLEXIBLE CONDUIT,90DEGREE,1/2",MALE THREAD,SC:NSR                                                                                                                                                                                                                                                                        |           |    |    |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                             |           |    |    |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |           |    |    |           |     |
| 31 | 415517                                                                                                                                                                                                                                                                                                                             | SLT35-45T | EA | 30 | 30-Apr-26 | NSR |
|    | CONNECTOR,FLEXIBLE CONDUIT,45DEGREE,1/2",MALE THREAD,SC:NSR                                                                                                                                                                                                                                                                        |           |    |    |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                             |           |    |    |           |     |



|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |          |    |    |           |     |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----|----|-----------|-----|
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                                                                                                                                                                                                                                      |          |    |    |           |     |
| 32 | 413836                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SLT29T   | EA | 30 | 30-Apr-26 | NSR |
|    | <p>Combination coupling, rigid conduit to flexible metal conduit, size 1" - male thread,SC:NSR<br/>MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br/>BROOKLYN, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                    |          |    |    |           |     |
| 33 | 415533                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SLT29ALT | EA | 20 | 30-Apr-26 | NSR |
|    | <p>COUPLING.COMBINATION RIGID CONDUIT TO FLEXIBLE METAL CONDUIT,SIZE 1",MALE<br/>THREAD,WITH GROUNDING LUG,SC:NSR<br/>MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br/>BROOKLYN, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |          |    |    |           |     |
| 34 | 430383                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | STR100FR | EA | 30 | 30-Apr-26 | NSR |
|    | <p>CONNECTOR.CONDUIT,TYPE:Rigid Threaded to Liquid Tight,CINDUIT SIZE:1",MATERIAL:SOLID ALLOY<br/>STEEL,ANGLE:STRAIGHT,SC:NSR<br/>MFG: AMERICAN FITTINGS CORPORATION, 17-10 WILLOW STREET, 07410 FAIR LAWN, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>        |          |    |    |           |     |
| 35 | 415525                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SLT37T   | EA | 30 | 30-Apr-26 | NSR |
|    | <p>CONNECTOR,FLEXIBLE CONDUIT,90DEGREE,1",MALE THREAD,SC:NSR<br/>MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br/>BROOKLYN, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p>                                                                                                                                                                                                                                                          |          |    |    |           |     |

|                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                        |           |    |    |           |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----|----|-----------|-----|
|                                                                                                                                                                                                                                                                                                                                                   | <p>The following documents and/or records shall be submitted with the above item:<br/> G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/> G801 - MATERIAL IDENTIFICATION<br/> GP4 - PRODUCT DATA SHEET</p> |           |    |    |           |     |
| 36                                                                                                                                                                                                                                                                                                                                                | 415518                                                                                                                                                                                                 | SLT37-45T | EA | 30 | 30-Apr-26 | NSR |
| CONNECTOR,FLEXIBLE CONDUIT,45DEGREE,1",MALE THREAD,SC:NSR                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                        |           |    |    |           |     |
| MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                                            |                                                                                                                                                                                                        |           |    |    |           |     |
| <p>Item shall be supplied in accordance with the following TQRs:<br/> A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/> G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/> G801 - MATERIAL IDENTIFICATION<br/> GP4 - PRODUCT DATA SHEET</p> |                                                                                                                                                                                                        |           |    |    |           |     |
| 37                                                                                                                                                                                                                                                                                                                                                | 430389                                                                                                                                                                                                 | STR150FR  | EA | 50 | 30-Apr-26 | NSR |
| CONNECTOR.CONDUIT,TYPE:Rigid Threaded to Liquid Tight,CINDUIT SIZE:1-1/2",MATERIAL:SOLID ALLOY STEEL,ANGLE:STRAIGHT,SC:NSR                                                                                                                                                                                                                        |                                                                                                                                                                                                        |           |    |    |           |     |
| MFG: AMERICAN FITTINGS CORPORATION, 17-10 WILLOW STREET, 07410 FAIR LAWN, United States                                                                                                                                                                                                                                                           |                                                                                                                                                                                                        |           |    |    |           |     |
| <p>Item shall be supplied in accordance with the following TQRs:<br/> A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/> G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/> G801 - MATERIAL IDENTIFICATION<br/> GP4 - PRODUCT DATA SHEET</p> |                                                                                                                                                                                                        |           |    |    |           |     |
| 38                                                                                                                                                                                                                                                                                                                                                | 413837                                                                                                                                                                                                 | SLT31T    | EA | 30 | 30-Apr-26 | NSR |
| Combination coupling, rigid conduit to flexible metal conduit, size 1 1/2" - male thread,SC:NSR                                                                                                                                                                                                                                                   |                                                                                                                                                                                                        |           |    |    |           |     |
| MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                                            |                                                                                                                                                                                                        |           |    |    |           |     |
| <p>Item shall be supplied in accordance with the following TQRs:<br/> A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/> G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/> G801 - MATERIAL IDENTIFICATION<br/> GP4 - PRODUCT DATA SHEET</p> |                                                                                                                                                                                                        |           |    |    |           |     |
| 39                                                                                                                                                                                                                                                                                                                                                | 415519                                                                                                                                                                                                 | SLT39-45T | EA | 30 | 30-Apr-26 | NSR |
| CONNECTOR,FLEXIBLE CONDUIT,45DEGREE,1,1/2",MALE THREAD,SC:NSR                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                        |           |    |    |           |     |
| MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                                                                                                                                                                            |                                                                                                                                                                                                        |           |    |    |           |     |
| <p>Item shall be supplied in accordance with the following TQRs:<br/> A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/> G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/> G801 - MATERIAL IDENTIFICATION</p>                               |                                                                                                                                                                                                        |           |    |    |           |     |

|    |                                                                                                                                                                                                                                                                                                                                               |           |    |    |           |     |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----|----|-----------|-----|
|    | GP4 - PRODUCT DATA SHEET                                                                                                                                                                                                                                                                                                                      |           |    |    |           |     |
| 40 | 415520                                                                                                                                                                                                                                                                                                                                        | SLT40-45T | EA | 20 | 30-Apr-26 | NSR |
|    | CONNECTOR,FLEXIBLE CONDUIT,45DEGREE,2",MALE THREAD,SC:NSR                                                                                                                                                                                                                                                                                     |           |    |    |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br>BROOKLYN, United States                                                                                                                                                                                                                                     |           |    |    |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |           |    |    |           |     |
| 41 | 413840                                                                                                                                                                                                                                                                                                                                        | SLT34T    | EA | 10 | 30-Apr-26 | NSR |
|    | Combination coupling, rigid conduit to flexible metal conduit, size 3" - male thread,SC:NSR                                                                                                                                                                                                                                                   |           |    |    |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br>BROOKLYN, United States                                                                                                                                                                                                                                     |           |    |    |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |           |    |    |           |     |
| 42 | 415522                                                                                                                                                                                                                                                                                                                                        | SLT66-45T | EA | 10 | 30-Apr-26 | NSR |
|    | CONNECTOR,FLEXIBLE CONDUIT,45DEGREE,3",MALE THREAD,SC:NSR                                                                                                                                                                                                                                                                                     |           |    |    |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br>BROOKLYN, United States                                                                                                                                                                                                                                     |           |    |    |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |           |    |    |           |     |
| 43 | 414138                                                                                                                                                                                                                                                                                                                                        | NTCC-150  | EA | 10 | 30-Apr-26 | NSR |
|    | COUPLING.CONDUIT,SC:NSR,TYPE:NTCC-150 COMPRESSION,CONDUIT<br>SIZE:1-1/2",MATERIAL:MALLEABLE IRON,CONNECTION:THREADEDLESS RIGID<br>COND.,CONSTRUCTION:CONCRETE<br>TIGHT,LENGHT:2.618",DIA:2.625",FINISH:STANDARD,STANDARD:UL E198258,AMB.TEMP.:150 deg<br>C,MANUFACTURER:SteelElectric                                                         |           |    |    |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496<br>BROOKLYN, United States                                                                                                                                                                                                                                     |           |    |    |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION</p>                              |           |    |    |           |     |

|    |                                                                                                                                                                                           |         |    |     |           |     |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|-----|-----------|-----|
|    | GP4 - PRODUCT DATA SHEET                                                                                                                                                                  |         |    |     |           |     |
| 44 | 413844                                                                                                                                                                                    | E35     | EA | 30  | 30-Apr-26 | NSR |
|    | Male enlarger, 1/2"M x 3/4"F,SC:NSR                                                                                                                                                       |         |    |     |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                    |         |    |     |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00                                                         |         |    |     |           |     |
|    | The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |         |    |     |           |     |
| 45 | 420124                                                                                                                                                                                    | E36     | EA | 20  | 30-Apr-26 | NSR |
|    | MALE ENLARGER, 3/4"M x 1"F,SC:NSR                                                                                                                                                         |         |    |     |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                    |         |    |     |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00                                                         |         |    |     |           |     |
|    | The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |         |    |     |           |     |
| 46 | 416570                                                                                                                                                                                    | CR1     | EA | 30  | 30-Apr-26 | NSR |
|    | REDUCER,CONDUIT,TYPE:CR FLUSH,CONDUIT SIZE:3/4"X1/2",SC:NSR                                                                                                                               |         |    |     |           |     |
|    | MFG: STEEL ELECTRIC PRODUCTS COMPANY INC., 6301 NEW UTRECHT AVENUE, 11219-5496 BROOKLYN, United States                                                                                    |         |    |     |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00                                                         |         |    |     |           |     |
|    | The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |         |    |     |           |     |
| 47 | 137754                                                                                                                                                                                    | CH-75T  | EA | 150 | 30-Apr-26 | NSR |
|    | SPACER,CONDUIT/TD,ID:3/4",LENGTH:1 1/4",MATERIAL:MALLEABLE IRON,SC:NSR                                                                                                                    |         |    |     |           |     |
|    | MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States                                                                                                                   |         |    |     |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00                                                         |         |    |     |           |     |
|    | The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |         |    |     |           |     |
| 48 | 145212                                                                                                                                                                                    | CH-100T | EA | 150 | 30-Apr-26 | NSR |
|    | HUB,CONDUIT,TYPE:CH-T,CONDUIT SIZE:1",MATERIAL:MALLEABLE                                                                                                                                  |         |    |     |           |     |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |         |    |     |           |     |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|-----|-----------|-----|
|    | <p>IRON/GALVANIZED,CONNECTION:THREADED FOR RIGID CONDUIT,(INSULATED THROAT,BOX WALL THICK.:1/16"FEMALE BUSHED NIPPLE TYPE),SC:NSR</p> <p>MFG: O-Z/GEDNEY, 37 MAIN STREET, 06786 TERRYVILLE, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                                                                                                                                                                  |         |    |     |           |     |
| 49 | 145213                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | CH-150T | EA | 150 | 30-Apr-26 | NSR |
|    | <p>HUB,CONDUIT,TYPE:CH-T,CONDUIT SIZE:1-1/2",MATERIAL:MALLEABLE IRON/ZINC PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,(INSULATED THROAT,BOX WALL THICK.:7/32"FEMALE BUSHED NIPPLE TYPE,RECESSED O-RING SEAL OUTSIDE THE BOX PROVIDES A WATERTIGHT THREADED HUB ON,SC:NSR</p> <p>MFG: O-Z/GEDNEY, 37 MAIN STREET, 06786 TERRYVILLE, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A02, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                     |         |    |     |           |     |
| 50 | 145214                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | CH-200T | EA | 100 | 30-Apr-26 | NSR |
|    | <p>HUB,CONDUIT,TYPE:CH-T,CONDUIT SIZE:2",MATERIAL:MALLEABLE IRON/ZINC PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,(INSULATED THROAT,BOX WALL THICK.:7/32"FEMALE BUSHED NIPPLE TYPE,RECESSED O-RING SEAL OUTSIDE THE BOX PROVIDES A WATERTIGHT THREADED HUB ON ENC,SC:NSR</p> <p>MFG: O-Z/GEDNEY, 37 MAIN STREET, 06786 TERRYVILLE, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A02, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                     |         |    |     |           |     |
| 51 | 145215                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | CH-250T | EA | 80  | 30-Apr-26 | NSR |
|    | <p>HUB,CONDUIT,TYPE:CH-T,CONDUIT SIZE:2-1/2",MATERIAL:MALLEABLE IRON/ZINC PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,(INSULATED THROAT,BOX WALL THICK.:3/16"FEMALE BUSHED NIPPLE TYPE,RECESSED O-RING SEAL OUTSIDE THE BOX PROVIDES A WATERTIGHT THREADED HUB ON,SC:NSR</p> <p>MFG: GAFFNEY-CROESE SUPPLY CORP., 1697 ELIZABETH AVENUE, 07065 RAHWAY, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A02, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |         |    |     |           |     |

|    |                                                                                                                                                                                                                                                                                                                                                    |         |    |     |           |     |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|-----|-----------|-----|
| 52 | 145216                                                                                                                                                                                                                                                                                                                                             | CH-300T | EA | 50  | 30-Apr-26 | NSR |
|    | HUB,CONDUIT,TYPE:CH-T,CONDUIT SIZE:3",MATERIAL:MALLEABLE IRON/ZINC PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,(INSULATED THROAT,BOX WALL THICK.:3/16"FEMALE BUSHED NIPPLE TYPE,RECESSED O-RING SEAL OUTSIDE THE BOX PROVIDES A WATERTIGHT THREADED HUB ON ENC,SC:NSR                                                                             |         |    |     |           |     |
|    | MFG: GAFFNEY-CROESE SUPPLY CORP., 1697 ELIZABETH AVENUE, 07065 RAHWAY, United States                                                                                                                                                                                                                                                               |         |    |     |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A02, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |         |    |     |           |     |
| 53 | 123235                                                                                                                                                                                                                                                                                                                                             | CH-400T | EA | 10  | 30-Apr-26 | NSR |
|    | HUB,CONDUIT,TYPE:RAINTIGHT,CONDUIT SIZE:4",SC:NSR                                                                                                                                                                                                                                                                                                  |         |    |     |           |     |
|    | MFG: GAFFNEY-CROESE SUPPLY CORP., 1697 ELIZABETH AVENUE, 07065 RAHWAY, United States                                                                                                                                                                                                                                                               |         |    |     |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A02, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |         |    |     |           |     |
| 54 | 154189                                                                                                                                                                                                                                                                                                                                             | LB-50CG | EA | 50  | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:LB-CG,CONDUIT SIZE:1/2",MATERIAL:MALLEABLE IRON,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG,(SPEC 5 CONDUIT BODY, COVER&GASKET ASSEMBLIES),SC:NSR                                                                                                                                                                  |         |    |     |           |     |
|    | MFG: O-Z/GEDNEY, 37 MAIN STREET, 06786 TERRYVILLE, United States                                                                                                                                                                                                                                                                                   |         |    |     |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>      |         |    |     |           |     |
| 55 | 154190                                                                                                                                                                                                                                                                                                                                             | LR-50CG | EA | 50  | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:LR-CG,CONDUIT SIZE:1/2",MATERIAL:MALLEABLE IRON,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG,(SPEC 5 CONDUIT BODY, COVER&GASKET ASSEMBLIES),SC:NSR                                                                                                                                                                  |         |    |     |           |     |
|    | MFG: O-Z/GEDNEY, 37 MAIN STREET, 06786 TERRYVILLE, United States                                                                                                                                                                                                                                                                                   |         |    |     |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>      |         |    |     |           |     |
| 56 | 134091                                                                                                                                                                                                                                                                                                                                             |         | EA | 100 | 30-Apr-26 | NSR |

|    |                                                                                                                                                                                              |         |    |     |           |     |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|-----|-----------|-----|
|    |                                                                                                                                                                                              | BS-50S  |    |     |           |     |
|    | COVER,BODY,TYPE:BS-DOMED TOP DESIGN,NOMINAL SIZE:1/2",MATERIAL:STAMPED STEEL,CONNECTION:STEEL SCREWS,(STANDARD FINISH: STEEL PRE-GALVANIZED,USE: FOR CONDUIT BODIES),SC:NSR                  |         |    |     |           |     |
|    | MFG: O-Z/GEDNEY, 37 MAIN STREET, 06786 TERRYVILLE, United States                                                                                                                             |         |    |     |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00                                                            |         |    |     |           |     |
|    | The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET    |         |    |     |           |     |
| 57 | 134096                                                                                                                                                                                       | SGN-50  | EA | 100 | 30-Apr-26 | NSR |
|    | GASKET,TYPE:BODY,NOMINAL SIZE:FOR CONDUIT BODIES 1/2",MATERIAL:NEOPRENE,SC:NSR                                                                                                               |         |    |     |           |     |
|    | MFG: O-Z/GEDNEY, 37 MAIN STREET, 06786 TERRYVILLE, United States                                                                                                                             |         |    |     |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00                                                            |         |    |     |           |     |
|    | The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET    |         |    |     |           |     |
| 58 | 149798                                                                                                                                                                                       | LB-75CG | EA | 70  | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:LB,CONDUIT SIZE:3/4",MATERIAL:MALLEABLE IRON ZINC EL.PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG BENDS,(WITH ALUMINUM ENAMEL COVER AND GASKET),SC:NSR |         |    |     |           |     |
|    | MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States                                                                                                                      |         |    |     |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00                                                            |         |    |     |           |     |
|    | The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET    |         |    |     |           |     |
| 59 | 149803                                                                                                                                                                                       | LL-75CG | EA | 70  | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:LL,CONDUIT SIZE:3/4",MATERIAL:MALLEABLE IRON ZINC EL.PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG BEND,(WITH ALUMINUM ENAMEL COVER AND GASKET),SC:NSR  |         |    |     |           |     |
|    | MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States                                                                                                                      |         |    |     |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00                                                            |         |    |     |           |     |
|    | The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET    |         |    |     |           |     |
| 60 | 149799                                                                                                                                                                                       | LR-75CG | EA | 70  | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:LR,CONDUIT SIZE:3/4",MATERIAL:MALLEABLE IRON ZINC                                                                                                                          |         |    |     |           |     |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |    |     |           |     |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----|-----|-----------|-----|
|    | <p>EL.PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG BENDS,(WITH ALUMINUM ENAMEL COVER AND GASKET),SC:NSR</p> <p>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                                                                                |          |    |     |           |     |
| 61 | 149794                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | C-75CG   | EA | 70  | 30-Apr-26 | NSR |
|    | <p>BODY,CONDUIT,TYPE:C,CONDUIT SIZE:3/4",MATERIAL:MALLEABLE IRON ZINC<br/>EL.PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,(WITH ALUMINUM ENAMEL COVER AND GASKET),SC:NSR</p> <p>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                                   |          |    |     |           |     |
| 62 | 107121                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | BS-75S   | EA | 200 | 30-Apr-26 | NSR |
|    | <p>COVER,BODY,TYPE:BS-DOMED TOP DESIGN,NOMINAL SIZE:3/4",MATERIAL:STAMPED STEEL,CONNECTION:STAINLESS STEEL SCREWS,(BLANK,NATURAL FINISH: STEEL PRE-GALVANIZED,USE: FOR CONDUIT BODIES),SC:NSR</p> <p>MFG: GAFFNEY-CROESE SUPPLY CORP., 1697 ELIZABETH AVENUE, 07065 RAHWAY, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |          |    |     |           |     |
| 63 | 107181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | SGN-75   | EA | 200 | 30-Apr-26 | NSR |
|    | <p>GASKET,TYPE:COVER,(3/4"),SC:NSR</p> <p>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                                                                                                                                                                         |          |    |     |           |     |
| 64 | 149896                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LB-100CG | EA | 100 | 30-Apr-26 | NSR |
|    | <p>BODY,CONDUIT,TYPE:LB,CONDUIT SIZE:1",MATERIAL:MALLEABLE IRON ZINC<br/>EL.PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG BEND,(WITH ALUMINUM ENAMEL COVER AND GASKET),SC:NSR</p>                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |    |     |           |     |



|    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |    |    |           |     |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----|----|-----------|-----|
|    | MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                            |          |    |    |           |     |
| 65 | 414222                                                                                                                                                                                                                                                                                                                                                                                                                                       | LL-100CG | EA | 50 | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,SC:NSR,TYPE:LL-100CG,CONDUIT SIZE:1",MATERIAL:MALLEABLE IRON,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:W/ COVER & GASKET SGN neoprene,SHAPE:LL,PROTECTION:TRIPLE-COAT - (1) ZINC, etc.,DIM.:for Wire: (3) # 4AWG,AMB.TEMP.:150 deg C,STANDARD:NEC Section 501-4(B)                                                                                                                                                     |          |    |    |           |     |
|    | MFG: O-Z/GEDNEY, 37 MAIN STREET, 06786 TERRYVILLE, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                   |          |    |    |           |     |
| 66 | 138122                                                                                                                                                                                                                                                                                                                                                                                                                                       | LR-100CG | EA | 80 | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:LR,CONDUIT SIZE:1",MATERIAL:MALLEABLE IRON HOT DIP GALV.,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG BENDS,(COVER & GASKET ASSEMBLIES),SC:NSR                                                                                                                                                                                                                                                                |          |    |    |           |     |
|    | MFG: EGS CORPORATION INTERNATIONAL, 150 WEST PARK LOOP, SUITE 301, 35806 HUNTSVILLE, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |          |    |    |           |     |
| 67 | 149897                                                                                                                                                                                                                                                                                                                                                                                                                                       | T-100CG  | EA | 50 | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:T,CONDUIT SIZE:1",MATERIAL:MALLEABLE IRON ZINC EL.PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:0 DEG,(WITH ALUMINUM ENAMEL COVER AND GASKET),SC:NSR                                                                                                                                                                                                                                                           |          |    |    |           |     |
|    | MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                            |          |    |    |           |     |
| 68 | 149795                                                                                                                                                                                                                                                                                                                                                                                                                                       | C-100CG  | EA | 80 | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:C,CONDUIT SIZE:1",MATERIAL:MALLEABLE IRON ZINC                                                                                                                                                                                                                                                                                                                                                                             |          |    |    |           |     |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |    |     |           |     |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----|-----|-----------|-----|
|    | EL.PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,(WITH ALUMINUM ENAMEL COVER AND GASKET),SC:NSR<br>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                                                                                          |          |    |     |           |     |
| 69 | 134092                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | BS-100S  | EA | 300 | 30-Apr-26 | NSR |
|    | COVER,BODY,TYPE:BS-DOMED TOP DESIGN,NOMINAL SIZE:1",MATERIAL:STAMPED STEEL,CONNECTION:STEEL SCREWS,(STANDARD FINISH: STEEL PRE-GALVANIZED,USE: FOR CONDUIT BODIES),SC:NSR<br>MFG: O-Z/GEDNEY, 37 MAIN STREET, 06786 TERRYVILLE, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                      |          |    |     |           |     |
| 70 | 107177                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | SGN-100  | EA | 300 | 30-Apr-26 | NSR |
|    | GASKET,TYPE:SGN-SOLID COVER SEALING GASKET,NOMINAL SIZE:1",MATERIAL:CLOSED-CELL NEOPRENE,SHAPE:ROUND,RATING:100 DEG C,(TO PROVIDE A WORRY-FREE,RAINTIGHT SEAL WHEN USED WITH TYPE BS OR BC COVERS),SC:NSR<br>MFG: O-Z/GEDNEY, 37 MAIN STREET, 06786 TERRYVILLE, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A02, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |          |    |     |           |     |
| 71 | 141906                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | LB-150CG | EA | 80  | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:LB,CONDUIT SIZE:1-1/2",MATERIAL:MALLEABLE IRON ZINC EL.PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG BENDS,(WITH ALUMINUM ENAMEL COVER AND GASKET),SC:NSR<br>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET          |          |    |     |           |     |
| 72 | 149804                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | LL-150CG | EA | 50  | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:LL,CONDUIT SIZE:1-1/2",MATERIAL:MALLEABLE IRON ZINC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |    |     |           |     |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |    |     |           |     |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----|-----|-----------|-----|
|    | EL.PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG BEND,(WITH ALUMINUM ENAMEL COVER AND GASKET),SC:NSR<br>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |          |    |     |           |     |
| 73 | 138123                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | LR-150CG | EA | 50  | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:LR,CONDUIT SIZE:1-1/2",MATERIAL:MALLEABLE IRON ZINC<br>EL.PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG BENDS,(WITH ALUMINUM ENAMEL COVER AND GASKET),SC:NSR                                                                                                                                                                                                                                                                                                                                            |          |    |     |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                                                                                                                                                                                           |          |    |     |           |     |
| 74 | 137759                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | T-150CG  | EA | 50  | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:T,CONDUIT SIZE:1-1/2",(COMPL.),SC:NSR<br>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States                                                                                                                                                                                                                                                                                                                                                                                                           |          |    |     |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                                                                                                                                                                                           |          |    |     |           |     |
| 75 | 149796                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | C-150CG  | EA | 50  | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:C,CONDUIT SIZE:1-1/2",MATERIAL:MALLEABLE IRON ZINC<br>EL.PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,(WITH ALUMINUM ENAMEL COVER AND GASKET),SC:NSR<br>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States                                                                                                                                                                                                                                                                                            |          |    |     |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                                                                                                                                                                                           |          |    |     |           |     |
| 76 | 137758                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | BS-125S  | EA | 300 | 30-Apr-26 | NSR |
|    | COVER,BODY,TYPE:BS-DOMED,NOMINAL SIZE:1-1/2",SC:NSR<br>MFG: EGS CORPORATION INTERNATIONAL, 150 WEST PARK LOOP, SUITE 301, 35806 HUNTSVILLE, United States                                                                                                                                                                                                                                                                                                                                                                                    |          |    |     |           |     |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |    |     |           |     |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |    |     |           |     |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----|-----|-----------|-----|
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                                                                                                                                                                                                                                                                                                                                                                                         |          |    |     |           |     |
| 77 | 200104                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | SGN-125  | EA | 300 | 30-Apr-26 | NSR |
|    | <p>GASKET,TYPE:COVER,(1-1/4" OR 1-1/2"),SC:NSR<br/>MFG: O-Z/GEDNEY, 37 MAIN STREET, 06786 TERRYVILLE, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                                                                                                                                                                                                                                                                 |          |    |     |           |     |
| 78 | 141907                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | LB-200CG | EA | 50  | 30-Apr-26 | NSR |
|    | <p>BODY,CONDUIT,TYPE:LB-CG,CONDUIT SIZE:2",MATERIAL:MALLEABLE IRON HOT DIP GALV.,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG BENDS,(SPEC 5TM CONDUIT BODY,COVER&amp;GASKET ASSEMBLIES),SC:NSR<br/>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>                                                                                             |          |    |     |           |     |
| 79 | 414223                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | LR-200CG | EA | 40  | 30-Apr-26 | NSR |
|    | <p>BODY.CONDUIT,SC:NSR,TYPE:LR-200CG,CONDUIT SIZE:2",MATERIAL:MALLEABLE IRON,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:W/ COVER &amp; GASKET SGN neoprene,SHAPE:LR 90 DEG BENDS,PROTECTION:TRIPLE-COAT - (1) ZINC, etc.,DIM.:for Wire: (3) # 4/0AWG,AMB.TEMP.:150 deg C,STANDARD:NEC Section 501-4(B)<br/>MFG: O-Z/GEDNEY, 37 MAIN STREET, 06786 TERRYVILLE, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |          |    |     |           |     |
| 80 | 107184                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | T-200CG  | EA | 40  | 30-Apr-26 | NSR |
|    | <p>BODY,CONDUIT,TYPE:T,CONDUIT SIZE:2",MATERIAL:MALLEABLE IRON,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG,(WITH COVERS AND GASKETS),SC:NSR<br/>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p>                                                                                                                                                                                                                                                                                                                                                   |          |    |     |           |     |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                  |         |    |     |           |     |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|-----|-----------|-----|
|    | <p>The following documents and/or records shall be submitted with the above item:<br/> G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/> G801 - MATERIAL IDENTIFICATION<br/> GP4 - PRODUCT DATA SHEET</p>                                                                                                                                                                                                                           |         |    |     |           |     |
| 81 | 407433                                                                                                                                                                                                                                                                                                                                                                                                                           | C-200CG | EA | 50  | 30-Apr-26 | NSR |
|    | <p>BODY,CONDUIT,SC:NSR,TYPE:C-200CG,CONDUIT SIZE:2",MATERIAL:MALLEABLE IRON ZINC PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:0 DEG BENDS, ASSY;C200+BS200S+SGN200</p>                                                                                                                                                                                                                                              |         |    |     |           |     |
|    | <p>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/> A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/> G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/> G801 - MATERIAL IDENTIFICATION<br/> GP4 - PRODUCT DATA SHEET</p> |         |    |     |           |     |
| 82 | 212602                                                                                                                                                                                                                                                                                                                                                                                                                           | BS-200S | EA | 200 | 30-Apr-26 | NSR |
|    | <p>COVER,BODY,TYPE:BS-DOMED TOP DESIGN,NOMINAL SIZE:2",MATERIAL:STAMPED STEEL,CONNECTION:STAINLESS STEEL SCREWS,(TO COVER CONDUIT BODY OPENING),SC:NSR</p>                                                                                                                                                                                                                                                                       |         |    |     |           |     |
|    | <p>Item shall be supplied in accordance with the following TQRs:<br/> A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/> G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/> G801 - MATERIAL IDENTIFICATION<br/> GP4 - PRODUCT DATA SHEET</p>                                                                                |         |    |     |           |     |
| 83 | 107179                                                                                                                                                                                                                                                                                                                                                                                                                           | SGN-200 | EA | 300 | 30-Apr-26 | NSR |
|    | <p>GASKET,TYPE:COVER,(2"),SC:NSR</p>                                                                                                                                                                                                                                                                                                                                                                                             |         |    |     |           |     |
|    | <p>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/> A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/> G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/> G801 - MATERIAL IDENTIFICATION<br/> GP4 - PRODUCT DATA SHEET</p> |         |    |     |           |     |
| 84 | 200091                                                                                                                                                                                                                                                                                                                                                                                                                           | LB-250  | EA | 50  | 30-Apr-26 | NSR |
|    | <p>BODY,CONDUIT,TYPE:LB,CONDUIT SIZE:2-1/2",MATERIAL:MALLEABLE IRON ZINC PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG,SC:NSR</p>                                                                                                                                                                                                                                                                             |         |    |     |           |     |
|    | <p>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States</p> <p>Item shall be supplied in accordance with the following TQRs:<br/> A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/> G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/> G801 - MATERIAL IDENTIFICATION<br/> GP4 - PRODUCT DATA SHEET</p> |         |    |     |           |     |

|                                                                                                                                                                                                                                                                                                                                                    |        |         |    |     |           |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------|----|-----|-----------|-----|
| 85                                                                                                                                                                                                                                                                                                                                                 | 137760 | LR-250  | EA | 30  | 30-Apr-26 | NSR |
| BODY,CONDUIT,TYPE:LR,CONDUIT SIZE:2-1/2",MATERIAL:MALLEABLE IRON ZINC PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,CONSTRUCTION:90 DEG,SC:NSR                                                                                                                                                                                                      |        |         |    |     |           |     |
| <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>      |        |         |    |     |           |     |
| 86                                                                                                                                                                                                                                                                                                                                                 | 107185 | T-250G  | EA | 30  | 30-Apr-26 | NSR |
| BODY,CONDUIT,TYPE:T,CONDUIT SIZE:2-1/2",MATERIAL:MALLEABLE IRON ZINC PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,SC:NSR                                                                                                                                                                                                                           |        |         |    |     |           |     |
| MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States                                                                                                                                                                                                                                                                            |        |         |    |     |           |     |
| <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>      |        |         |    |     |           |     |
| 87                                                                                                                                                                                                                                                                                                                                                 | 134093 | BS-250S | EA | 200 | 30-Apr-26 | NSR |
| COVER,BODY,TYPE:BS-DOMED TOP DESIGN,NOMINAL SIZE:2 1/2" OR 3",MATERIAL:STAMPED STEEL,CONNECTION:STEEL SCREWS,(STANDARD FINISH: STEEL PRE-GALVANIZED,USE: FOR CONDUIT BODIES),SC:NSR                                                                                                                                                                |        |         |    |     |           |     |
| MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States                                                                                                                                                                                                                                                                            |        |         |    |     |           |     |
| <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A02, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p> |        |         |    |     |           |     |
| 88                                                                                                                                                                                                                                                                                                                                                 | 107180 | SGN-250 | EA | 200 | 30-Apr-26 | NSR |
| GASKET,TYPE:COVER,(2-1/2" OR 3"),SC:NSR                                                                                                                                                                                                                                                                                                            |        |         |    |     |           |     |
| MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States                                                                                                                                                                                                                                                                            |        |         |    |     |           |     |
| <p>Item shall be supplied in accordance with the following TQRs:<br/>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00</p> <p>The following documents and/or records shall be submitted with the above item:<br/>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br/>G801 - MATERIAL IDENTIFICATION<br/>GP4 - PRODUCT DATA SHEET</p>      |        |         |    |     |           |     |
| 89                                                                                                                                                                                                                                                                                                                                                 | 107152 | LB-300G | EA | 30  | 30-Apr-26 | NSR |
| BODY,CONDUIT,TYPE:LB,CONDUIT SIZE:3",MATERIAL:MALLEABLE IRON ZINC PLATED,CONNECTION:THREADED FOR RIGID CONDUIT,SC:NSR                                                                                                                                                                                                                              |        |         |    |     |           |     |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                |         |    |    |           |     |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|----|-----------|-----|
|    | MFG: GAFFNEY-CROESE SUPPLY CORP., 1697 ELIZABETH AVENUE, 07065 RAHWAY, United States<br><br>Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET |         |    |    |           |     |
| 90 | 134084                                                                                                                                                                                                                                                                                                                                                                                                                         | LR-300G | EA | 20 | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:LR,CONDUIT SIZE:3",MATERIAL:MALLEABLE IRON HOT DIP<br>GALV.,CONNECTION:THREADED FOR RIGID CONDUIT,SC:NSR                                                                                                                                                                                                                                                                                                     |         |    |    |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                                                                             |         |    |    |           |     |
| 91 | 107159                                                                                                                                                                                                                                                                                                                                                                                                                         | LL-300G | EA | 10 | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,CONDUIT SIZE:3",SC:NSR<br>MFG: GEDNEY, 199 SCOTT SWAMP ROAD, OS034-4044 FARMINGTON, United States                                                                                                                                                                                                                                                                                                                 |         |    |    |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                                                                             |         |    |    |           |     |
| 92 | 134082                                                                                                                                                                                                                                                                                                                                                                                                                         | T-300G  | EA | 20 | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,TYPE:T,CONDUIT SIZE:3",MATERIAL:MALLEABLE IRON HOT DIP<br>GALV.,CONNECTION:THREADED FOR RIGID CONDUIT,SC:NSR<br>MFG: GAFFNEY-CROESE SUPPLY CORP., 1697 ELIZABETH AVENUE, 07065 RAHWAY, United States                                                                                                                                                                                                              |         |    |    |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE<br>G801 - MATERIAL IDENTIFICATION<br>GP4 - PRODUCT DATA SHEET                                                                                             |         |    |    |           |     |
| 93 | 107126                                                                                                                                                                                                                                                                                                                                                                                                                         | C-300G  | EA | 20 | 30-Apr-26 | NSR |
|    | BODY,CONDUIT,CONDUIT SIZE:3",SC:NSR<br>MFG: GAFFNEY-CROESE SUPPLY CORP., 1697 ELIZABETH AVENUE, 07065 RAHWAY, United States                                                                                                                                                                                                                                                                                                    |         |    |    |           |     |
|    | Item shall be supplied in accordance with the following TQRs:<br>A00, A07, F00, F05, F40, F50, F51, F52, F521, F57, F61, F66, G00<br><br>The following documents and/or records shall be submitted with the above item:<br>G044 - PACKING SLIP/LIST OR DELIVERY NOTE                                                                                                                                                           |         |    |    |           |     |

## 2. TECHNICAL AND QUALITY REQUIREMENTS

### **IMPORTANT:**

The quotation has to include Statement of Compliance with the Technical and Quality Requirements from Purchaser's RFQ including the Bidder's commitment to provide requested documents and/or records. If any of these requirements cannot be fulfilled, please, provide the explanation.

### **A00 - GENERAL REQUIREMENTS**

**ALL REQUIRED DOCUMENTS SHALL BE SUPPLIED IN ENGLISH OR ENGLISH/ MULTILINGUAL.**

#### **A02 - ORDER ENTRY REQUIREMENTS**

THE SALES OFFICE AND/OR IMPORTER RECEIVING THIS PURCHASE ORDER SHALL TRANSMIT ALL NEK PURCHASE ORDER REQUIREMENTS TO THE EQUIPMENT MANUFACTURER.

#### **A07 - NEW ITEMS**

ALL ITEM(S) PROVIDED ON THIS PURCHASE ORDER SHALL BE SUPPLIED IN THE NEW CONDITION (NOT USED OR REFURBISHED IN ANY WAY).

### **F00 - SHIPPING, HANDLING, MARKING AND STORAGE INSTRUCTIONS ;**

#### **F05 - HANDLING, PACKAGING AND SHIPPING**

THE SELLER SHALL ENSURE THAT THE GOODS ARE PROPERLY PRESERVED, PACKAGED AND PREPARED FOR SHIPMENT IN A MANNER SUITABLE FOR THE INTENDED MODE OF TRANSPORT AND THE EXPECTED ENVIRONMENTAL AND HANDLING CONDITIONS DURING SHIPPING AND STORAGE.

PACKAGING SHALL PROVIDE ADEQUATE PROTECTION FROM THE EFFECTS OF TEMPERATURE EXTREMES, HUMIDITY, CORROSION, TRANSIT SHOCKS AND JARRING.

CAPS AND PLUGS SHALL BE USED TO SEAL THE OPENINGS AND TO PROTECT THREADS AND WELD END PREPARATIONS. STEEL BEAMS/ ANGLES/PIPES LENGTH SHALL BE MAX. 6m.

THE SELLER SHALL REMAIN RESPONSIBLE FOR ENSURING THAT ALL NECESSARY SHIPPING PRECAUTIONS AND HANDLING INSTRUCTIONS ARE COMMUNICATED TO ANY CARRIER OR FORWARDER ENGAGED FOR TRANSPORTATION, REGARDLESS OF WHETHER TRANSPORTATION IS ARRANGED BY THE SELLER OR BY THE BUYER.

#### **F40 - SUPPLIER'S NAME**

#### **F50 - ITEM MARKING REQUIREMENTS**

ALL ITEMS ARE TO BE PACKAGED INDIVIDUALLY AND IDENTIFIED WITH THE SPECIFIC PART NUMBER, OR ALL ITEMS OF A GIVEN PART NUMBER TO BE PACKAGED TOGETHER AND IDENTIFIED WITH THE SPECIFIC PART NUMBER AND THE FOLLOWING:

##### **F51 - THE PURCHASE ORDER NUMBER**

##### **F52 - NEK ITEM NUMBER**

##### **F521 - PART/ CATALOG NO.**

##### **F57 - MANUFACTURER'S NAME**

##### **F61 - SIZE**



**G00 - SUPPLIER DOCUMENTATION REQUIREMENTS**

**ALL REQUIRED DOCUMENTS SHALL BE SUPPLIED IN ORIGINAL HARD COPY OR ELECTRONIC FORM  
DEFINED BY SUPPLIER QA PROGRAM AND ACCEPTED BY NEK.**

**G044 - PACKING SLIP/LIST OR DELIVERY NOTE**

PACKING SLIP/LIST OR DELIVERY NOTE MUST BE DELIVERED WITH THE ITEMS CONTAINING THE FOLLOWING DATA:  
PURCHASE ORDER NUMBER/S, PART NUMBER/S, NEK ITEM NO., ITEM DESCRIPTION AND QUANTITY!

**G801 - MATERIAL IDENTIFICATION**

THE SUPPLIER SHALL PROVIDE THE ITEM MATERIAL IDENTIFICATION DATA.

**GP4 - PRODUCT DATA SHEET**