



projekt name:	STOLP NANOS	customer:	
project number:		drawing made by/at:	
order name:		checked by/at:	
order number:	INFORMATIVNO	released by/at:	
drawing name:	JEKLENA KONSTRUKCIJA	comment:	
drawing number:			



date: 6.8.2026

poz.	kosov	element	kvaliteta materijala	dolžina mm	površina kos	površina skupaj	teža kos kg	teža skupa kg
	254	C 31x25x5	S355J2	350	0,06	15,24	1,06	269,24
	25	C 32x25x4	S355J2	2240	0,54	13,50	8,24	206,00
	1	C 32x25x4	S355J2	7531	1,82	1,82	27,70	27,70
	1	C 32x25x4	S355J2	7560	1,83	1,83	27,81	27,81
	4	FL 150x6	S355J2	4812	1,50	6,00	33,93	135,72
	2	FL 150x6	S355J2	5409	1,69	3,38	38,14	76,28
	2	FL 150x6	S355J2	5440	1,70	3,40	38,36	76,72
	2	FL 150x6	S355J2	11390	3,55	7,10	80,32	160,64
	2	FL 150x6	S355J2	10351	3,23	6,46	72,99	145,98
	4	FL 150x6	S355J2	4470	1,39	5,56	31,52	126,08
	4	FL 150x6	S355J2	2298	0,72	2,88	16,20	64,80
	2	FL 150x6	S355J2	6500	2,03	4,06	45,84	91,68
	2	FL 150x6	S355J2	6000	1,87	3,74	42,31	84,62
	4	Gewindestange-M12	S355J2	168	0,06	0,24	0,15	0,60
	2	HE 200 A	S355J2	6694	7,63	15,26	282,61	565,22
	2	HE 240 A	S355J2	11600	15,89	31,78	698,14	1396,28
	1	HE 300 B	S355J2	160	0,28	0,28	18,73	18,73
	1	HE 300 B	S355J2	1289	2,23	2,23	150,51	150,51
	7	HE 300 B	S355J2	2664	4,61	32,27	311,07	2177,49
	1	HE 300 B	S355J2	1980	3,43	3,43	231,26	231,26
	1	HE 300 B	S355J2	2028	3,51	3,51	236,83	236,83
	7	HE 300 B	S355J2	1537	2,66	18,62	179,49	1256,43
	2	HE 300 B	S355J2	1617	2,80	5,60	188,83	377,66
	4	HE 300 B	S355J2	602	1,04	4,16	70,29	281,16
	4	HE 300 B	S355J2	598	1,04	4,16	69,88	279,52
	5	HE 300 B	S355J2	605	1,05	5,25	70,70	353,50
	7	HE 300 B	S355J2	762	1,32	9,24	88,97	622,79
	1	HE 300 B	S355J2	3317	5,74	5,74	387,34	387,34
	1	HE 300 B	S355J2	3319	5,74	5,74	387,62	387,62
	2	HE 300 B	S355J2	3289	5,69	11,38	384,04	768,08
	1	HE 300 B	S355J2	2129	3,68	3,68	248,59	248,59
	2	HE 300 B	S355J2	6221	10,76	21,52	726,45	1452,90
	2	HE 300 B	S355J2	6223	10,77	21,54	726,74	1453,48
	8	HE 300 B	S355J2	402	0,70	5,60	46,92	375,36
	1	HE 500 B	S355J2	2076	4,40	4,40	387,43	387,43
	1	HE 500 B	S355J2	1348	2,86	2,86	251,64	251,64
	1	HE 500 B	S355J2	1347	2,86	2,86	251,36	251,36
	4	HE 500 B	S355J2	11562	24,51	98,04	2157,97	8631,88


projekt name:	STOLP NANOS	customer:		
project number:		drawing made by/at:		
order name:		checked by/at:		
order number:	INFORMATIVNO	released by/at:		
drawing name:	JEKLENA KONSTRUKCIJA	comment:		
drawing number:				



date: 6.8.2026


poz.	kosov	element	kvaliteta materijala	dolžina mm	površina kos	površina skupaj	teža kos kg	teža skupa kg
	1	HE 500 B	S355J2	1126	2,39	2,39	210,22	210,22
	1	HE 500 B	S355J2	781	1,65	1,65	145,68	145,68
	1	HE 500 B	S355J2	1518	3,22	3,22	283,30	283,30
	1	HE 500 B	S355J2	1515	3,21	3,21	282,77	282,77
	4	HE 500 B	S355J2	1425	3,02	12,08	265,89	1063,56
	1	HE 500 B	S355J2	1514	3,21	3,21	282,52	282,52
	1	HE 500 B	S355J2	1106	2,34	2,34	206,44	206,44
	1	HE 500 B	S355J2	5132	10,88	10,88	957,89	957,89
	2	HE 500 B	S355J2	4713	9,99	19,98	879,61	1759,22
	16	HE 500 B	S355J2	532	1,13	18,08	99,34	1589,44
	1	HE 500 B	S355J2	5119	10,85	10,85	955,36	955,36
	2	HE 500 B	S355J2	4713	9,99	19,98	879,74	1759,48
	4	HE 500 B	S355J2	5575	11,82	47,28	1040,49	4161,96
	3	HE 500 B	S355J2	2106	4,47	13,41	393,12	1179,36
	5	HE 500 B	S355J2	5123	10,86	54,30	956,14	4780,70
	1	HE 500 B	S355J2	5122	10,86	10,86	955,99	955,99
	4	HE 700 B	S355J2	8255	20,80	83,20	1985,60	7942,40
	4	HE 700 M	S355J2	1469	3,76	15,04	441,43	1765,72
	8	HEB 300	S355J2	357	0,62	4,96	41,66	333,28
	1	HEB 300	S355J2	3823	6,61	6,61	446,38	446,38
	2	HEB 300	S355J2	3828	6,62	13,24	447,05	894,10
	1	HEB 300	S355J2	3830	6,63	6,63	447,26	447,26
	8	HEB 300	S355J2	559	0,97	7,76	65,30	522,40
	2	HEB 300	S355J2	777	1,34	2,68	90,71	181,42
	2	HEB 300	S355J2	702	1,21	2,42	81,97	163,94
	2	HEB 300	S355J2	802	1,39	2,78	93,64	187,28
	2	HEB 300	S355J2	667	1,15	2,30	77,88	155,76
	4	HEB 300	S355J2	3265	5,65	22,60	381,24	1524,96
	1	HEB 300	S355J2	796	1,38	1,38	92,90	92,90
	2	HEB 300	S355J2	800	1,38	2,76	93,42	186,84
	4	HEB 300	S355J2	3240	5,60	22,40	378,32	1513,28
	1	HEB 300	S355J2	677	1,17	1,17	79,03	79,03
	2	HEB 300	S355J2	792	1,37	2,74	92,48	184,96
	3	HEB 300	S355J2	866	1,50	4,50	101,08	303,24
	3	HEB 300	S355J2	831	1,44	4,32	97,02	291,06
	2	HEB 300	S355J2	748	1,29	2,58	87,37	174,74
	2	HEB 300	S355J2	758	1,31	2,62	88,46	176,92
	1	HEB 400	S355J2	334	0,65	0,65	51,71	51,71

projekt name:	STOLP NANOS	customer:	
project number:		drawing made by/at:	
order name:		checked by/at:	
order number:	INFORMATIVNO	released by/at:	
drawing name:	JEKLENA KONSTRUKCIJA	comment:	
drawing number:			




date: 6.8.2026

poz.	kosov	element	kvaliteta materijala	dolžina mm	površina kos	površina skupaj	teža kos kg	teža skupa kg
	1	HEB 400	S355J2	329	0,63	0,63	50,87	50,87
	2	HEB 400	S355J2	3290	6,35	12,70	508,99	1017,98
	1	HEB 400	S355J2	566	1,09	1,09	87,58	87,58
	2	HEB 400	S355J2	410	0,79	1,58	63,35	126,70
	3	HEB 400	S355J2	1230	2,37	7,11	190,29	570,87
	3	HEB 400	S355J2	407	0,79	2,37	63,00	189,00
	1	HEB 400	S355J2	585	1,13	1,13	90,43	90,43
	1	HEB 400	S355J2	991	1,91	1,91	153,26	153,26
	1	HEB 400	S355J2	1004	1,94	1,94	155,27	155,27
	4	HEB 400	S355J2	537	1,04	4,16	83,06	332,24
	1	HEB 500	S355J2	10511	22,28	22,28	1961,78	1961,78
	1	HEB 500	S355J2	10512	22,29	22,29	1961,97	1961,97
	1	HEB 500	S355J2	2198	4,66	4,66	410,19	410,19
	2	HEB 500	S355J2	10518	22,30	44,60	1963,03	3926,06
	1	HEB 500	S355J2	2196	4,66	4,66	409,95	409,95
	4	HEM 700	S355J2	14307	36,63	146,52	4298,20	17192,80
	40	HOP L 150x60x10	S355J2	50	0,02	0,80	0,78	31,20
	4	HOP U 160x80x5	S355J2	912	0,56	2,24	10,84	43,36
	2	HOP U 160x80x5	S355J2	5423	3,34	6,68	64,43	128,86
	8	HOP U 200x100x5	S355J2	765	0,60	4,80	11,71	93,68
	4	HOP U 200x100x5	S235JR	3063	2,42	9,68	46,89	187,56
	4	HOP U 160x80x5	---	913	0,56	2,24	10,85	43,40
	2	HOP U 160x80x5	---	5423	3,34	6,68	64,43	128,86
	1	IPE 100	S355J2	63	0,03	0,03	0,51	0,51
	2	IPE 100	S355J2	34	0,01	0,02	0,28	0,56
	2	IPE 160	S355J2	607	0,38	0,76	9,57	19,14
	1	IPE 160	S355J2	722	0,45	0,45	11,38	11,38
	2	IPE 160	S355J2	964	0,60	1,20	15,20	30,40
	3	IPE 160	S355J2	947	0,59	1,77	14,93	44,79
	2	IPE 160	S355J2	524	0,32	0,64	8,26	16,52
	2	IPE 160	S355J2	522	0,32	0,64	8,24	16,48
	1	IPE 160	S355J2	909	0,56	0,56	14,33	14,33
	1	IPE 160	S355J2	752	0,47	0,47	11,86	11,86
	1	IPE 160	S355J2	894	0,55	0,55	14,10	14,10
	4	IPE 160	S355J2	484	0,30	1,20	7,63	30,52
	4	IPE 160	S355J2	755	0,47	1,88	11,90	47,60
	1	IPE 160	S355J2	1081	0,67	0,67	17,05	17,05
	1	IPE 160	S355J2	1008	0,63	0,63	15,90	15,90

projekt name:	STOLP NANOS	customer:		
project number:		drawing made by/at:		
order name:		checked by/at:		
order number:	INFORMATIVNO	released by/at:		
drawing name:	JEKLENA KONSTRUKCIJA	comment:		
drawing number:				date: 6.8.2026

poz.	kosov	element	kvaliteta materijala	dolžina mm	površina kos	površina skupaj	teža kos kg	teža skupa kg
	5	IPE 160	S355J2	939	0,58	2,90	14,80	74,00
	1	IPE 160	S355J2	3018	1,87	1,87	47,60	47,60
	1	IPE 160	S355J2	1306	0,81	0,81	20,60	20,60
	7	IPE 160	S355J2	707	0,44	3,08	11,15	78,05
	1	IPE 160	S355J2	1076	0,67	0,67	16,96	16,96
	4	IPE 160	S355J2	2031	1,26	5,04	32,02	128,08
	1	IPE 160	S355J2	682	0,42	0,42	10,76	10,76
	1	IPE 160	S355J2	1129	0,70	0,70	17,81	17,81
	1	IPE 160	S355J2	1120	0,69	0,69	17,66	17,66
	1	IPE 160	S355J2	1121	0,70	0,70	17,68	17,68
	6	IPE 160	S355J2	179	0,11	0,66	2,82	16,92
	1	IPE 160	S355J2	1191	0,74	0,74	18,78	18,78
	2	IPE 160	S355J2	663	0,41	0,82	10,46	20,92
	20	IPE 160	S355J2	123	0,08	1,60	1,93	38,60
	1	IPE 160	S355J2	1127	0,70	0,70	17,77	17,77
	5	IPE 160	S355J2	180	0,11	0,55	2,85	14,25
	2	IPE 160	S355J2	1115	0,69	1,38	17,59	35,18
	6	IPE 160	S355J2	657	0,41	2,46	10,36	62,16
	15	IPE 160	S355J2	155	0,10	1,50	2,45	36,75
	8	IPE 160	S355J2	154	0,10	0,80	2,43	19,44
	1	IPE 160	S355J2	1135	0,70	0,70	17,90	17,90
	3	IPE 160	S355J2	1898	1,18	3,54	29,94	89,82
	2	IPE 160	S355J2	169	0,10	0,20	2,66	5,32
	6	IPE 240	S355J2	660	0,61	3,66	20,24	121,44
	2	IPE 240	S355J2	435	0,40	0,80	13,33	26,66
	1	IPE 240	S355J2	655	0,60	0,60	20,06	20,06
	5	IPE 240	S355J2	283	0,26	1,30	8,68	43,40
	1	IPE 240	S355J2	285	0,26	0,26	8,75	8,75
	9	IPE 240	S355J2	366	0,34	3,06	11,23	101,07
	1	IPE 240	S355J2	650	0,60	0,60	19,91	19,91
	8	IPE 240	S355J2	1971	1,81	14,48	60,38	483,04
	6	IPE 240	S355J2	2540	2,34	14,04	77,84	467,04
	6	IPE 240	S355J2	429	0,39	2,34	13,15	78,90
	2	IPE 240	S355J2	2546	2,34	4,68	78,01	156,02
	2	IPE 240	S355J2	277	0,26	0,52	8,50	17,00
	7	IPE 240	S355J2	363	0,33	2,31	11,13	77,91
	2	IPE 300	S355J2	1599	1,85	3,70	67,34	134,68
	2	IPE 300	S355J2	303	0,35	0,70	12,75	25,50


projekt name:	STOLP NANOS	customer:	
project number:		drawing made by/at:	
order name:		checked by/at:	
order number:	INFORMATIVNO	released by/at:	
drawing name:	JEKLENA KONSTRUKCIJA	comment:	
drawing number:			



date: 6.8.2026

poz.	kosov	element	kvaliteta materijala	dolžina mm	površina kos	površina skupaj	teža kos kg	teža skupa kg
	6	IPE 300	S355J2	2417	2,80	16,80	101,81	610,86
	6	IPE 300	S355J2	513	0,59	3,54	21,60	129,60
	12	IPE 300	S355J2	1567	1,82	21,84	65,99	791,88
	3	IPE 300	S355J2	1982	2,30	6,90	83,49	250,47
	8	IPE 300	S355J2	738	0,86	6,88	31,09	248,72
	2	IPE 300	S355J2	502	0,58	1,16	21,15	42,30
	10	IPE 300	S355J2	2044	2,37	23,70	86,08	860,80
	8	IPE 300	S355J2	2136	2,48	19,84	89,95	719,60
	3	IPE 300	S355J2	1985	2,30	6,90	83,62	250,86
	8	IPE 300	S355J2	1812	2,10	16,80	76,32	610,56
	2	IPE 300	S355J2	2224	2,58	5,16	93,67	187,34
	2	IPE 300	S355J2	2330	2,70	5,40	98,13	196,26
	2	IPE 300	S355J2	2328	2,70	5,40	98,05	196,10
	6	IPE 300	S355J2	2225	2,58	15,48	93,72	562,32
	8	IPE 300	S355J2	462	0,54	4,32	19,46	155,68
	2	IPE 300	S355J2	1663	1,93	3,86	70,06	140,12
	2	IPE 300	S355J2	1615	1,87	3,74	68,04	136,08
	8	IPE 300	S355J2	495	0,57	4,56	20,83	166,64
	1	IPE 300	S355J2	3113	3,61	3,61	131,11	131,11
	3	IPE 300	S355J2	1139	1,32	3,96	47,99	143,97
	5	IPE 300	S355J2	1138	1,32	6,60	47,93	239,65
	8	IPE 300	S355J2	3117	3,62	28,96	131,27	1050,16
	8	IPE 300	S355J2	2816	3,27	26,16	118,61	948,88
	8	IPE 300	S355J2	1119	1,30	10,40	47,11	376,88
	15	IPE 300	S355J2	3117	3,62	54,30	131,27	1969,05
	2	IPE 500	S355J2	1505	2,62	5,24	136,27	272,54
	1	IPE 500	S355J2	1768	3,08	3,08	160,06	160,06
	1	IPE 500	S355J2	151	0,26	0,26	13,64	13,64
	1	IPE 500	S355J2	465	0,81	0,81	42,10	42,10
	1	IPE 500	S355J2	560	0,97	0,97	50,68	50,68
	2	IPE 500	S355J2	5244	9,12	18,24	474,72	949,44
	1	IPE 500	S355J2	557	0,97	0,97	50,41	50,41
	1	IPE 500	S355J2	1026	1,79	1,79	92,90	92,90
	2	IPE 500	S355J2	764	1,33	2,66	69,20	138,40
	1	IPE 500	S355J2	490	0,85	0,85	44,39	44,39
	2	IPE 500	S355J2	904	1,57	3,14	81,81	163,62
	1	IPE 500	S355J2	1220	2,12	2,12	110,43	110,43
	1	IPE 500	S355J2	653	1,14	1,14	59,13	59,13


projekt name:	STOLP NANOS	customer:	
project number:		drawing made by/at:	
order name:		checked by/at:	
order number:	INFORMATIVNO	released by/at:	
drawing name:	JEKLENA KONSTRUKCIJA	comment:	
drawing number:			



date: 6.8.2026

poz.	kosov	element	kvaliteta materijala	dolžina mm	površina kos	površina skupaj	teža kos kg	teža skupa kg
	2	IPE 500	S355J2	1516	2,64	5,28	137,27	274,54
	10	IPE 500	S355J2	558	0,97	9,70	50,51	505,10
	8	IPE 500	S355J2	900	1,57	12,56	81,49	651,92
	4	IPE 500	S355J2	2192	3,81	15,24	198,45	793,80
	4	L 80x8	S355J2	1220	0,38	1,52	11,73	46,92
	8	L 80x8	S355J2	1171	0,36	2,88	11,26	90,08
	4	L 80x8	S355J2	1366	0,42	1,68	13,13	52,52
	4	L 80x8	S355J2	2718	0,85	3,40	26,13	104,52
	4	L 80x8	S355J2	1387	0,43	1,72	13,33	53,32
	4	L 80x8	S355J2	1253	0,39	1,56	12,04	48,16
	4	L 80x8	S355J2	1321	0,41	1,64	12,69	50,76
	6	L 80x8	S355J2	1249	0,39	2,34	12,00	72,00
	10	L 80x8	S355J2	2547	0,79	7,90	24,48	244,80
	6	L 80x8	S355J2	1325	0,41	2,46	12,74	76,44
	8	L 80x8	S355J2	1240	0,39	3,12	11,92	95,36
	4	L 90x9	S355J2	1399	0,49	1,96	17,03	68,12
	4	L 90x9	S355J2	2853	1,00	4,00	34,74	138,96
	4	L 90x9	S355J2	1436	0,50	2,00	17,48	69,92
	4	L 90x9	S355J2	1455	0,51	2,04	17,71	70,84
	4	L 90x9	S355J2	2962	1,04	4,16	36,07	144,28
	32	L 90x9	S355J2	1582	0,56	17,92	19,26	616,32
	32	L 90x9	S355J2	3090	1,08	34,56	37,62	1203,84
	36	L 90x9	S355J2	1509	0,53	19,08	18,38	661,68
	4	L 90x9	S355J2	1800	0,63	2,52	21,92	87,68
	36	L 90x9	S355J2	2114	0,74	26,64	25,74	926,64
	7	L 90x9	S355J2	1452	0,51	3,57	17,68	123,76
	7	L 90x9	S355J2	936	0,33	2,31	11,39	79,73
	1	L 90x9	S355J2	810	0,28	0,28	9,86	9,86
	1	L 90x9	S355J2	1349	0,47	0,47	16,43	16,43
	4	L 90x9	S355J2	1314	0,46	1,84	16,01	64,04
	2	L 120x12	S355J2	1701	0,80	1,60	36,66	73,32
	2	L 120x12	S355J2	878	0,41	0,82	18,94	37,88
	2	L 120x12	S355J2	822	0,39	0,78	17,73	35,46
	2	L 120x12	S355J2	1648	0,77	1,54	35,53	71,06
	8	L 120x12	S355J2	816	0,38	3,04	17,58	140,64
	4	L 120x12	S355J2	1627	0,76	3,04	35,08	140,32
	12	L 120x12	S355J2	802	0,38	4,56	17,29	207,48
	8	L 120x12	S355J2	727	0,34	2,72	15,67	125,36


projekt name:	STOLP NANOS	customer:	
project number:		drawing made by/at:	
order name:		checked by/at:	
order number:	INFORMATIVNO	released by/at:	
drawing name:	JEKLENA KONSTRUKCIJA	comment:	
drawing number:			



date: 6.8.2026

poz.	kosov	element	kvaliteta materijala	dolžina mm	površina kos	površina skupaj	teža kos kg	teža skupa kg
	8	L 120x12	S355J2	1537	0,72	5,76	33,14	265,12
	8	L 120x12	S355J2	1000	0,47	3,76	21,56	172,48
	3	L 120x12	S355J2	1309	0,61	1,83	28,21	84,63
	4	L 120x12	S355J2	5135	2,41	9,64	110,70	442,80
	2	L 120x12	S355J2	2827	1,33	2,66	60,95	121,90
	2	L 120x12	S355J2	1470	0,69	1,38	31,69	63,38
	2	L 120x12	S355J2	1360	0,64	1,28	29,33	58,66
	2	L 120x12	S355J2	1446	0,68	1,36	31,18	62,36
	2	L 120x12	S355J2	2819	1,32	2,64	60,77	121,54
	2	L 120x12	S355J2	1374	0,64	1,28	29,62	59,24
	4	L 120x12	S355J2	1472	0,69	2,76	31,73	126,92
	4	L 120x12	S355J2	2861	1,34	5,36	61,68	246,72
	4	L 120x12	S355J2	1378	0,65	2,60	29,70	118,80
	4	L 120x12	S355J2	1800	0,84	3,36	38,81	155,24
	2	L 120x12	S355J2	1380	0,65	1,30	29,75	59,50
	4	L 120x12	S355J2	1424	0,67	2,68	30,70	122,80
	4	L 120x12	S355J2	2750	1,29	5,16	59,28	237,12
	9	L 120x12	S355J2	1320	0,62	5,58	28,46	256,14
	3	L 120x12	S355J2	5023	2,36	7,08	108,29	324,87
	5	L 150x15	S355J2	1600	0,94	4,70	53,98	269,90
	2	L 150x15	S355J2	998	0,58	1,16	33,65	67,30
	2	L 150x15	S355J2	1000	0,59	1,18	33,74	67,48
	4	L 180x18	S355J2	3366	2,37	9,48	163,29	653,16
	5	L 180x18	S355J2	2000	1,41	7,05	97,01	485,05
	4	L 180x18	S355J2	21000	14,81	59,24	1018,65	4074,60
	4	L 200x20	S355J2	1003	0,79	3,16	59,98	239,92
	4	L 200x20	S355J2	663	0,52	2,08	39,62	158,48
	4	L 200x20	S355J2	7503	5,89	23,56	448,58	1794,32
	4	L 200x20	S355J2	1190	0,93	3,72	71,14	284,56
	4	L 200x24	S355J2	2600	2,04	8,16	184,51	738,04
	40	Navojna palica M36	8.8	1320	1,49	59,60	10,57	422,80
	4	RO 33.7x2.6	S355J2	1173	0,12	0,48	2,33	9,32
	12	RO 33.7x2.6	S355J2	1174	0,12	1,44	2,34	28,08
	16	RO 33.7x2.6	S355J2	1176	0,12	1,92	2,34	37,44
	4	RO 33.7x2.6	S355J2	933	0,10	0,40	1,86	7,44
	20	RO 33.7x2.6	S355J2	1049	0,11	2,20	2,09	41,80
	1	RO 33.7x2.6	S355J2	1065	0,11	0,11	2,12	2,12
	32	RO 33.7x2.6	S355J2	1073	0,11	3,52	2,14	68,48


projekt name:	STOLP NANOS	customer:	
project number:		drawing made by/at:	
order name:		checked by/at:	
order number:	INFORMATIVNO	released by/at:	
drawing name:	JEKLENA KONSTRUKCIJA	comment:	
drawing number:			



date: 6.8.2026

poz.	kosov	element	kvaliteta materijala	dolžina mm	površina kos	površina skupaj	teža kos kg	teža skupa kg
	8	RO 33.7x2.6	S355J2	1219	0,13	1,04	2,43	19,44
	2	RO 33.7x2.6	S355J2	755	0,08	0,16	1,50	3,00
	2	RO 33.7x2.6	S355J2	753	0,08	0,16	1,50	3,00
	4	RO 33.7x2.6	S355J2	751	0,08	0,32	1,49	5,96
	32	RO 33.7x2.6	S355J2	1061	0,11	3,52	2,11	67,52
	11	RO 33.7x2.6	S355J2	1058	0,11	1,21	2,11	23,21
	36	RO 33.7x2.6	S355J2	1088	0,12	4,32	2,17	78,12
	20	RO 33.7x2.6	S355J2	1113	0,12	2,40	2,22	44,40
	20	RO 33.7x2.6	S355J2	1269	0,13	2,60	2,53	50,60
	24	RO 33.7x2.6	S355J2	962	0,10	2,40	1,91	45,84
	4	RO 48.3x3.6	S355J2	4889	0,74	2,96	19,40	77,60
	4	RO 48.3x3.6	S355J2	5487	0,83	3,32	21,78	87,12
	2	RO 48.3x3.6	S355J2	11438	1,74	3,48	45,39	90,78
	2	RO 48.3x3.6	S355J2	10400	1,58	3,16	41,27	82,54
	4	RO 48.3x3.6	S355J2	4518	0,69	2,76	17,93	71,72
	5	RO 48.3x3.2	S355J2	2348	0,36	1,80	8,34	41,70
	2	RO 48.3x3.6	S355J2	6548	0,99	1,98	25,99	51,98
	8	RO 48.3x3.6	S355J2	977	0,15	1,20	3,88	31,04
	2	RO 48.3x3.6	S355J2	6048	0,92	1,84	24,00	48,00
	50	RO 48.3x3.6	S355J2	1025	0,16	8,00	4,07	203,50
	99	RO 48.3x3.6	S355J2	994	0,15	14,85	3,94	390,06
	1	RO 60.3x3.2	S355J2	2260	0,43	0,43	10,16	10,16
	1	RO 88.9x5	S355J2	2881	0,80	0,80	29,75	29,75
	1	RO 88.9x5	S355J2	5990	1,67	1,67	61,85	61,85
	1	RO 88.9x5	S355J2	5350	1,49	1,49	55,25	55,25
	1	RO 88.9x5	S355J2	5400	1,51	1,51	55,76	55,76
	6	RO 88.9x5	S355J2	6000	1,67	10,02	61,96	371,76
	4	RO 168.3x8	S355J2	3140	1,66	6,64	99,11	396,44
	2	RQ 200x12.5	S355J2	6000	4,61	9,22	432,83	865,66
	2	RQ 200x12.5	S355J2	5980	4,59	9,18	431,39	862,78
	4	RQ 200x12.5	S355J2	2090	1,54	6,16	142,52	570,08
	4	RQ 200x12.5	S355J2	3200	2,46	9,84	230,85	923,40
	4	U 80	S355J2	470	0,15	0,60	4,05	16,20
	1	U 100	S355J2	699	0,26	0,26	7,39	7,39
	1	U 100	S355J2	326	0,12	0,12	3,45	3,45
	1	U 100	S355J2	689	0,26	0,26	7,29	7,29
	1	U 100	S355J2	369	0,14	0,14	3,90	3,90
	1	U 100	S355J2	792	0,29	0,29	8,38	8,38


projekt name:	STOLP NANOS	customer:	
project number:		drawing made by/at:	
order name:		checked by/at:	
order number:	INFORMATIVNO	released by/at:	
drawing name:	JEKLENA KONSTRUKCIJA	comment:	
drawing number:			



date: 6.8.2026

poz.	kosov	element	kvaliteta materijala	dolžina mm	površina kos	površina skupaj	teža kos kg	teža skupa kg
	1	U 100	S355J2	796	0,29	0,29	8,43	8,43
	1	U 100	S355J2	1135	0,42	0,42	12,01	12,01
	1	U 100	S355J2	729	0,27	0,27	7,72	7,72
	6	U 100	S355J2	1376	0,51	3,06	14,56	87,36
	1	U 100	S355J2	1510	0,56	0,56	15,97	15,97
	2	U 100	S355J2	90	0,03	0,06	0,95	1,90
	11	U 100	S355J2	2182	0,81	8,91	23,08	253,88
	2	U 100	S355J2	1393	0,52	1,04	14,74	29,48
	1	U 100	S355J2	1036	0,38	0,38	10,96	10,96
	1	U 100	S355J2	773	0,29	0,29	8,18	8,18
	5	U 100	S355J2	805	0,30	1,50	8,52	42,60
	1	U 100	S355J2	1558	0,58	0,58	16,48	16,48
	7	U 100	S355J2	751	0,28	1,96	7,94	55,58
	1	U 100	S355J2	977	0,36	0,36	10,34	10,34
	1	U 100	S355J2	2808	1,04	1,04	29,70	29,70
	1	U 100	S355J2	986	0,36	0,36	10,43	10,43
	2	U 100	S355J2	2089	0,77	1,54	22,10	44,20
	3	U 100	S355J2	2819	1,04	3,12	29,82	89,46
	1	U 100	S355J2	1995	0,74	0,74	21,10	21,10
	1	U 100	S355J2	1651	0,61	0,61	17,47	17,47
	1	U 100	S355J2	514	0,19	0,19	5,44	5,44
	4	U 100	S355J2	1671	0,62	2,48	17,67	70,68
	4	U 100	S355J2	2457	0,91	3,64	25,99	103,96
	1	U 100	S355J2	1053	0,39	0,39	11,14	11,14
	5	U 100	S355J2	761	0,28	1,40	8,05	40,25
	3	U 100	S355J2	795	0,29	0,87	8,41	25,23
	1	U 100	S355J2	664	0,25	0,25	7,03	7,03
	1	U 100	S355J2	471	0,17	0,17	4,99	4,99
	2	U 100	S355J2	2829	1,05	2,10	29,93	59,86
	6	U 100	S355J2	3398	1,26	7,56	35,95	215,70
	6	U 100	S355J2	3698	1,37	8,22	39,12	234,72
	6	U 100	S355J2	3771	1,40	8,40	39,90	239,40
	2	U 100	S355J2	170	0,06	0,12	1,80	3,60
	2	U 100	S355J2	413	0,15	0,30	4,37	8,74
	36	U 100	S355J2	470	0,17	6,12	4,97	178,92
	1	U 120	S355J2	1193	0,51	0,51	15,96	15,96
	10	U 120	S355J2	1190	0,51	5,10	15,91	159,10
	1	U 120	S355J2	495	0,21	0,21	6,61	6,61


projekt name:	STOLP NANOS	customer:	
project number:		drawing made by/at:	
order name:		checked by/at:	
order number:	INFORMATIVNO	released by/at:	
drawing name:	JEKLENA KONSTRUKCIJA	comment:	
drawing number:			



date: 6.8.2026

poz.	kosov	element	kvaliteta materijala	dolžina mm	površina kos	površina skupaj	teža kos kg	teža skupa kg
	11	U 120	S355J2	960	0,41	4,51	12,84	141,24
	8	U 120	S355J2	760	0,33	2,64	10,17	81,36
	12	U 120	S355J2	1300	0,56	6,72	17,39	208,68
	32	U 140	S355J2	470	0,23	7,36	7,51	240,32
	2	U 160	S355J2	1022	0,56	1,12	19,18	38,36
	4	U 160	S355J2	2127	1,17	4,68	39,91	159,64
	2	U 160	S355J2	2044	1,12	2,24	38,35	76,70
	1	U 160	S355J2	1572	0,86	0,86	29,50	29,50
	1	U 160	S355J2	1571	0,86	0,86	29,48	29,48
	2	U 160	S355J2	678	0,37	0,74	12,73	25,46
	1	U 160	S355J2	1597	0,88	0,88	29,96	29,96
	2	U 160	S355J2	1607	0,88	1,76	30,14	60,28
	4	U 160	S355J2	1587	0,87	3,48	29,77	119,08
	6	U 160	S355J2	1979	1,09	6,54	37,13	222,78
	2	U 160	S355J2	741	0,41	0,82	13,90	27,80
	2	U 160	S355J2	1983	1,09	2,18	37,21	74,42
	6	U 160	S355J2	2219	1,22	7,32	41,64	249,84
	1	U 160	S355J2	2630	1,45	1,45	49,35	49,35
	1	U 160	S355J2	2622	1,44	1,44	49,20	49,20
	1	U 160	S355J2	2599	1,43	1,43	48,76	48,76
	1	U 160	S355J2	2547	1,40	1,40	47,79	47,79
	1	U 160	S355J2	2609	1,43	1,43	48,96	48,96
	5	U 160	S355J2	2620	1,44	7,20	49,16	245,80
	14	U 160	S355J2	2743	1,51	21,14	51,47	720,58
	4	U 160	S355J2	12674	6,97	27,88	237,81	951,24
	1	U 160	S355J2	6419	3,53	3,53	120,45	120,45
	5	U 160	S355J2	6435	3,54	17,70	120,74	603,70
	1	U 160	S355J2	13702	7,54	7,54	257,11	257,11
	2	U 300	S355J2	5613	5,33	10,66	258,82	517,64
	2	U 300	S355J2	7442	7,07	14,14	343,16	686,32
	4	U 300	S355J2	7437	7,06	28,24	342,92	1371,68
	1	U 300	S355J2	2091	1,99	1,99	96,40	96,40
	2	U 300	S355J2	6157	5,85	11,70	283,92	567,84
	2	U 300	S355J2	7423	7,05	14,10	342,29	684,58
	2	U 300	S355J2	7410	7,04	14,08	341,71	683,42
	2	U 300	S355J2	7401	7,03	14,06	341,29	682,58
	1	U 300	S355J2	2303	2,19	2,19	106,19	106,19
	1	U 300	S355J2	3433	3,26	3,26	158,31	158,31

projekt name:	STOLP NANOS	customer:		
project number:		drawing made by/at:		
order name:		checked by/at:		
order number:	INFORMATIVNO	released by/at:		
drawing name:	JEKLENA KONSTRUKCIJA	<u>comment:</u>		
drawing number:				



date: 6.8.2026

poz.	kosov	element	kvaliteta materijala	dolžina mm	površina kos	površina skupaj	teža kos kg	teža skupa kg
	8	U 300	S355J2	3243	3,08	24,64	149,53	1196,24
	8	U 300	S355J2	3772	3,58	28,64	173,92	1391,36