




Poz. 175 + 160 - 10 ... 475




Poz. 168 + 100 - 5 ... 160




Poz. 180 + 105 - 5 ... 170




Poz. 182 + 105 - 5 ... 170





Poz. 184 + 105 - 5 ... 170




Poz. 170 + 225 - 6 ... 255



Poz. 171 + 240 - 6 ... 250





Poz. 187 + 40 - 5 ... 40



Poz. 158


Poz. 134

Poz. 160



Vijci glave i konzola	
M 12 - 35	324
M 12 - 40	201
M 12 - 45	70
M 14 - 40	44
M 14 - 45	12


Poz. 163 + 60 - 8 ... 259



Poz. 157, 159, 161

Poz. 143, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 200, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298, 300, 302, 304, 306, 308, 310, 312, 314, 316, 318, 320, 322, 324, 326, 328, 330, 332, 334, 336, 338, 340, 342, 344, 346, 348, 350, 352, 354, 356, 358, 360, 362, 364, 366, 368, 370, 372, 374, 376, 378, 380, 382, 384, 386, 388, 390, 392, 394, 396, 398, 400, 402, 404, 406, 408, 410, 412, 414, 416, 418, 420, 422, 424, 426, 428, 430, 432, 434, 436, 438, 440, 442, 444, 446, 448, 450, 452, 454, 456, 458, 460, 462, 464, 466, 468, 470, 472, 474, 476, 478, 480, 482, 484, 486, 488, 490, 492, 494, 496, 498, 500, 502, 504, 506, 508, 510, 512, 514, 516, 518, 520, 522, 524, 526, 528, 530, 532, 534, 536, 538, 540, 542, 544, 546, 548, 550, 552, 554, 556, 558, 560, 562, 564, 566, 568, 570, 572, 574, 576, 578, 580, 582, 584, 586, 588, 590, 592, 594, 596, 598, 600, 602, 604, 606, 608, 610, 612, 614, 616, 618, 620, 622, 624, 626, 628, 630, 632, 634, 636, 638, 640, 642, 644, 646, 648, 650, 652, 654, 656, 658, 660, 662, 664, 666, 668, 670, 672, 674, 676, 678, 680, 682, 684, 686, 688, 690, 692, 694, 696, 698, 700, 702, 704, 706, 708, 710, 712, 714, 716, 718, 720, 722, 724, 726, 728, 730, 732, 734, 736, 738, 740, 742, 744, 746, 748, 750, 752, 754, 756, 758, 760, 762, 764, 766, 768, 770, 772, 774, 776, 778, 780, 782, 784, 786, 788, 790, 792, 794, 796, 798, 800, 802, 804, 806, 808, 810, 812, 814, 816, 818, 820, 822, 824, 826, 828, 830, 832, 834, 836, 838, 840, 842, 844, 846, 848, 850, 852, 854, 856, 858, 860, 862, 864, 866, 868, 870, 872, 874, 876, 878, 880, 882, 884, 886, 888, 890, 892, 894, 896, 898, 900, 902, 904, 906, 908, 910, 912, 914, 916, 918, 920, 922, 924, 926, 928, 930, 932, 934, 936, 938, 940, 942, 944, 946, 948, 950, 952, 954, 956, 958, 960, 962, 964, 966, 968, 970, 972, 974, 976, 978, 980, 982, 984, 986, 988, 990, 992, 994, 996, 998, 1000

Poz. 153 + 100 - 5 ... 170



POZ.	MATERIJ.	KOL.	DIMENZIJE	KG/KOM.	Σ KG.	PRINJED.
174	-	4	# 110 - 5	150	0,74	2,96
173	-	4	# 110 - 8	180	1,70	6,80
194	-	4	# 110 - 6	110	0,57	2,28
193	-	2	L 35 - 35 - 4	741	1,56	3,10
192	-	2	L 35 - 35 - 4	652	1,38	2,76
191	-	2	L 35 - 35 - 4	570	1,20	2,40
190	-	2	L 35 - 35 - 4	527	1,10	2,20
189	st. 37-12	2	L 35 - 35 - 4	452	0,96	1,92
POZ.	MATERIJ.	KOL.	DIMENZIJE	KG/KOM.	Σ KG.	PRINJED.

188	+	2	L 35 - 35 - 4	357	0,75	1,50
187	+	4	# 40 - 5	40	0,063	1,14
186	+	4	# 110 - 6	270	0,50	4,00
185	+	4	# 110 - 5	170	0,50	4,00
184	+	4	# 105 - 5	170	0,70	2,80
183	+	8	# 105 - 5	160	0,60	5,28
182	+	4	# 105 - 5	170	0,70	2,80
181	+	4	# 105 - 5	170	0,70	2,80
180	+	4	# 105 - 5	170	0,50	2,00
179	+	4	# 105 - 5	170	0,50	2,00
178	+	2	L 55 - 65 - 6	8008	39,63	79,26
177	+	2	L 55 - 65 - 6	8008	39,63	79,26
176	+	2	L 35 - 35 - 4	240	0,55	1,10
175	+	1	# 160 - 10	475	5,97	8,97
174	+	2	L 35 - 35 - 4	511	1,08	2,16
173	172A	4+4	# 110 - 8	175	1,32	15,34
172	+	2	# 240 - 6	240	0,52	16,64
171	+	2	# 235 - 6	255	2,02	5,64
170	+	2	# 200 - 6	280	1,21	2,42
169	+	2	# 100 - 5	160	0,63	1,26
168	+	2	L 35 - 35 - 4	305	0,64	1,28
167	+	2	L 35 - 35 - 4	400	0,86	1,72
166	+	2	L 35 - 35 - 4	492	1,24	2,48
165	+	2	L 35 - 35 - 4	544,5	1,14	2,28
164	+	2	L 35 - 35 - 4	639	1,34	2,68
163	+	2	L 35 - 35 - 4	742	1,56	3,12
162	+	2	L 40 - 40 - 4	940	1,93	3,86
161	+	2	L 35 - 35 - 4	873	1,85	3,70
160	+	2	L 35 - 35 - 4	792	1,66	3,32
159	+	2	L 35 - 35 - 4	748	1,59	3,18
158	+	2	L 35 - 35 - 4	666	1,40	2,80
157	+	2	L 35 - 35 - 4	626	1,33	2,64
156	+	4	L 35 - 35 - 4	437	0,92	3,68
155	+	2+2	L 35 - 35 - 4	437	0,73	3,63
154	+	12	# 110 - 5	170	0,73	8,76
153	+	8	# 60 - 8	259	1,20	9,60
152	+	2	L 35 - 35 - 4	450	0,945	1,89
151	+	2	L 35 - 35 - 4	450	0,945	1,89
150	+	2	L 35 - 35 - 4	1010	2,12	4,26
149	+	2	L 35 - 35 - 4	1010	2,12	4,26
148	+	2	L 35 - 35 - 4	1074	2,24	4,48
147	+	2	L 35 - 35 - 4	1074	2,24	4,48
146	+	2	L 35 - 35 - 4	511	1,08	2,16
145	+	2	L 35 - 35 - 4	470	0,99	1,98
144	+	2	L 35 - 35 - 4	470	0,99	1,98
143	+	2	L 35 - 35 - 4	1077	2,26	4,52
142	+	2	L 35 - 35 - 4	1077	2,26	4,52
141	+	2	L 35 - 35 - 4	1180	2,43	4,96
140	+	2	L 35 - 35 - 4	1180	2,43	4,96
139	+	2	L 35 - 35 - 4	565	1,19	2,38
138	+	2	L 35 - 35 - 4	566	1,19	2,38
137	+	2	L 35 - 35 - 4	569	1,20	2,40
136	+	2	L 35 - 35 - 4	569	1,20	2,40
135	+	2	L 35 - 35 - 4	891	1,87	3,74
134	+	2	L 35 - 35 - 4	891	1,87	3,74
133	+	2	L 35 - 35 - 4	975	2,05	4,10
132	+	2	L 35 - 35 - 4	975	2,05	4,10
131	+	2	L 35 - 35 - 4	1025	2,15	4,30
130	+	2	L 35 - 35 - 4	1025	2,15	4,30
129	+	2	L 35 - 35 - 4	1086	2,28	4,56
128	+	2	L 35 - 35 - 4	1086	2,28	4,56
127	+	2	L 35 - 35 - 4	1081	2,28	4,56
126	+	2	L 35 - 35 - 4	1155	2,43	4,86
125	+	2	L 35 - 35 - 4	1155	2,43	4,86
124	+	2	L 35 - 35 - 4	1254	2,64	5,28
123	+	2	L 35 - 35 - 4	1254	2,64	5,28
122	+	2	L 35 - 35 - 4	1312	2,76	5,52
121	+	2	L 35 - 35 - 4	1312	2,76	5,52
120	+	2	L 35 - 35 - 4	1312	2,76	5,52
119	+	2	L 35 - 35 - 4	1312	2,76	5,52
80	st. 37-12	2	L 35 - 35 - 4	1312	2,76	5,52

POZ. MATERIJ. KOM. DIMENZIJE

Osnovao: [] Datum: []

Razradio: []









Čitao: []

Dobrio: []

GLAVA STUPA

N-400



JUŽNI ZAGREB





VIJAK	KOM	TEŽINA
M 12 · 35	40	3,26
M 12 · 40	114	9,30
M 12 · 45	12	1,08

		Σ 14, 24 kg		357,60 kg	
29	4	± 105 · 6	115,0	0,57	2,28
28	8	± 105 · 6	180,0	0,89	7,12
94	32	± 35 · 6	35,0	0,06	1,92
92	8	± 55 · 10	384,0	1,66	11,28
92	2	L 35 · 35 · 4	1314,4	2,76	5,52
91	2	L 35 · 35 · 4	1314,4	2,76	5,52
90	2	L 35 · 35 · 4	1418,7	2,92	5,84
89	2	L 35 · 35 · 4	1418,7	2,92	5,84
88	2	L 35 · 35 · 4	1514,0	3,17	6,34
87	2	L 35 · 35 · 4	1514,0	3,17	6,34
86	2	L 35 · 35 · 4	1610,4	3,38	6,76
85	2	L 35 · 35 · 4	1610,4	3,38	6,76
84	2	L 35 · 35 · 4	1692,4	3,55	7,10
83	2	L 35 · 35 · 4	1692,4	3,55	7,10
82	2	L 35 · 35 · 4	1758,4	3,69	7,38
81	2	L 35 · 35 · 4	1758,4	3,69	7,38
80	2	L 35 · 35 · 4	1812,0	2,83	5,66
79	2	L 35 · 35 · 4	1312,0	2,83	5,66
78	2	L 35 · 35 · 4	1497,0	3,14	6,28
77	2	L 35 · 35 · 4	1497,0	3,14	6,28
76	2	L 35 · 35 · 4	1588,6	3,33	6,66
75	2	L 35 · 35 · 4	1588,6	3,33	6,66
74	2	L 35 · 35 · 4	1717,5	3,60	7,20
73	2	L 35 · 35 · 4	1717,5	3,60	7,20
72	2	L 35 · 35 · 4	1818,0	3,81	7,62
71	2	L 35 · 35 · 4	1818,0	3,81	7,62
70	2	L 35 · 35 · 4	1922,3	4,03	8,06
69	2	L 35 · 35 · 4	1922,3	4,03	8,06
68	2	L 35 · 35 · 4	1997	5,04	10,08
67	2	L 35 · 35 · 4	1997	5,04	10,08
66	2	L 60 · 60 · 6	7100,0	38,50	77,00
65	2	L 60 · 60 · 6	7100,0	38,50	77,00


POZ.	MAT.	KOM.	DIMENZIJE	KG/KOM	Σ KG
OSNOVAO	DALEKOVOD	ZAGREB			
RAZRAO	1/14	Havel. II.			
CRTAO					
ODOBRILO					
M : 1 : 10 ; 1 : 5					
II. ETAŽA N-400					
3 x 240 mm ² + 50 C					




SPECIFIKACIJA VIJAKA ZA BK I BP								
VIJAK	br. komada i visina							
	15,20	17,35	19,25	19,00	19,75	20,525	21,30	22,90
M 12 25	8		8	8	8	8	8	8
M 12 40	8	8		20	32	38	44	12



Poz. 209 # 110 · 6... 135




Poz. 225 # 35 · 6..... 35



Specifikacija vijaka

Vijak	br. kom
M 12 · 35	12
M 12 · 40	21
M 12 · 45	6




UK : 72,96 kg


225	Podmetač	3	St 37.12.	# 35 · 6	35	0,06	0,18	
211	Lim torzije	4	-	# 145 · 6	170	1,16	4,64	
210	Lim ovješnja	2	-	# 145 · 10	190	2,17	4,34	
209	Lim konzole	2	-	# 110 · 6	135	0,70	1,40	
208	Horizontala	1	-	L 35 · 35	428	100	1,00	
207	Diagonala	1	-	L 35 · 35	715	150	1,50	
206	Horizontala	1	-	L 35 · 35	605	126	1,26	
205	Diagonala	1	-	L 35 · 35	876,5	184	1,84	
204	Torzija	2	-	L 35 · 35	816	171	3,42	
203	Zatega	1	-	L 35 · 35	2785	5,77	5,77	
202	-	1	-	L 35 · 35	2785	5,77	5,77	
201	Pojasnik konz.	1	-	L KP · 65	2957,5	20,97	20,97	
200	-	1	-	L KP · 65	2957,5	20,97	20,97	
POZ.	NAZIV ELEMENTA	KOM.	MATERIJ.	DIMENZIJE		KG/KOM	Σ / kg	PRIMJEDBA

OSNOVAO	DALEKOVOD' ZAG.		
RAZRAD.			
CRTAO	11/74. Harel M.		
ODO			
M 1:10 ; 1:5			
GORNJA KONZOLA STUPA N-400			


Poz. 174 + 110 · 5 ... 150




Poz. 194 + 110 · 6 ... 110




Poz. 179 + 105 · 5 ... 170




Poz. 185 + 110 · 5 ... 170




Poz. 186 + 110 · 6 ... 270




Poz. 169 + 200 · 6 ... 220




Poz. 172 + 110 · 8 ... 175



Poz. 173 + 110 · 8 ... 180



Poz. 172A + 110 · 8 ... 175



OSNOVAO		DALEKOVOD	ZAGREB	ČVORNI LIMOMI N - 400 JUŽNI ZAGREB	
RAZRAD.					
CRTAO		Havel M.	Havel		
ODOBRIO					
M 1:5					

P-024